



DILIMAN ACCESS COLLEGE ENTRANCE TEST REVIEW 2008 - POST-SIMULATION EXAM RESULTS  
(Note: Reviewees were given Student Numbers since their first day for their identification on exams and results)

(IDEAL PASSING RATE: 55%. Determining Percentages (ideal for post-simulation results) :

- 55% and up - you have a very good chance of passing any school especially UP and Ateneo;
- 40-50% you are an excellent student, could pass DOE LA SALLE and IUST but challenge yourself more;
- below 35% concentrate on your strengths and hone them especially if you are scheduled to take an exam in less than a month .

For the parents: The reviewees were given a gradesheet (given on their last day) that comprises their pretest results, check up tests and tentative scoring for this exam. If the tentative score doesn't correspond with this final post simulation score, it would be due to a number of factors, such as double answers, the student's shading errors and blank answers. Their answer sheets were machine scanned to simulate the testing process itself.

Note: Students from Sacred Heart Academy of Pasig Student ID Numbers has been changed from 0810200XX to 08101400XX

ID Number	Overall		Language Proficiency		General Science		Biology		Chemistry		Physics		Basic Mathematics		Algebra		Geometry		Trigonometry		Reading Comprehension		General Information		Abstract Reasoning		Numerical Ability		Logical Reasoning		Blank Answers	Double Answers		
	RS	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank			%	
0000000079	95	44.19	686	33.33	1283	43.75	523	44.44	1010	46.67	342	50.00	180	44.44	424	28.57	708	37.50	402	33.33	286	64.00	107	46.67	666	45.00	890	40.00	1132	50.00	191	0	0	
0000000132	99	46.05	554	46.67	697	31.25	1021	61.11	480	40.00	556	37.50	451	44.44	1354	35.71	455	37.50	402	33.33	286	52.00	107	66.67	74	35.00	1231	40.00	206	40.00	376	0	0	
0000000134	71	33.02	1234	23.33	1443	37.50	757	44.44	1010	20.00	1167	31.25	636	22.22	1086	28.57	708	37.50	402	66.67	61	40.00	1025	33.33	1198	25.00	1410	20.00	1394	50.00	191	1	0	
0000000194	72	33.49	1302	40.00	1044	50.00	322	38.89	1165	26.67	964	18.75	1034	44.44	424	14.29	1273	25.00	850	11.11	1111	40.00	1025	40.00	980	40.00	1096	30.00	1287	20.00	1043	0	0	
0000000351	75	34.88	1253	40.00	1044	18.75	1351	61.11	480	33.33	782	31.25	636	33.33	740	14.29	1273	12.50	1267	33.33	286	36.00	1163	40.00	980	40.00	1096	30.00	1287	40.00	376	0	0	
0000000352	104	48.37	390	40.00	1044	43.75	523	77.78	94	46.67	342	43.75	302	33.33	740	28.57	708	12.50	1267	55.56	23	64.00	107	60.00	189	35.00	1231	80.00	206	40.00	376	0	0	
081010000	103	47.91	412	53.33	341	50.00	322	55.56	677	53.33	201	37.50	451	44.44	424	38.71	455	30.00	1446	33.33	286	64.00	107	66.67	74	35.00	1096	60.00	1132	60.00	79	0	0	
081010001	77	35.81	1213	53.33	341	25.00	1211	22.22	1416	26.67	964	31.25	636	33.33	740	0.00	1470	50.00	130	33.33	286	52.00	486	30.00	1425	40.00	1096	60.00	656	40.00	376	0	0	
081010002	101	46.98	483	63.33	45	31.25	1021	55.56	677	46.67	342	50.00	180	44.44	424	42.86	255	37.50	402	33.33	286	44.00	850	20.00	1425	45.00	890	70.00	440	60.00	79	1	0	
081010003	125	58.14	56	60.00	106	68.75	38	61.11	480	60.00	114	43.75	302	66.67	59	50.00	111	37.50	402	44.44	74	68.00	49	53.33	392	55.00	472	80.00	73	40.00	376	0	0	
081010004	104	48.37	390	53.33	341	25.00	1211	61.11	480	46.67	342	56.25	93	33.33	740	28.57	708	25.00	850	33.33	286	68.00	49	40.00	980	60.00	263	50.00	915	50.00	191	0	0	
081010005	91	42.33	906	43.33	889	50.00	322	55.56	677	33.33	782	0.00	1354	44.44	424	21.43	1007	12.50	1267	66.67	48	49	40.00	980	45.00	890	60.00	656	40.00	376	0	0		
081010006	94	43.72	721	53.33	341	43.75	623	55.56	677	33.33	782	31.25	636	44.44	424	50.00	111	37.50	402	11.11	1111	28.00	486	60.00	666	53.33	392	40.00	1096	40.00	376	1	0	
081010007	108	50.23	288	46.67	697	37.50	757	66.67	306	53.33	201	31.25	636	33.33	740	42.86	255	50.00	130	44.44	74	76.00	10	73.33	20	40.00	1096	60.00	656	20.00	1043	1	0	
081010008	89	41.40	877	46.67	697	43.75	523	55.56	677	33.33	782	31.25	636	62.22	1086	28.57	708	37.50	402	11.11	1111	48.00	666	53.33	392	45.00	890	60.00	656	30.00	684	1	0	
081010009	117	54.42	143	50.00	909	56.25	170	66.67	306	60.00	114	56.25	93	66.67	59	35.71	455	62.50	38	11.11	1111	40.00	1025	66.67	74	55.00	472	90.00	73	60.00	79	7	0	
081010010	118	54.98	128	66.67	21	50.00	322	55.56	677	53.33	201	31.25	636	55.56	188	84.29	19	37.50	402	33.33	286	56.00	345	53.33	392	55.00	472	80.00	206	60.00	79	0	0	
081010011	112	52.09	205	60.00	106	56.25	170	61.11	480	60.00	114	56.25	93	22.22	1086	28.57	708	12.50	1267	22.22	647	64.00	107	66.67	74	50.00	678	60.00	656	50.00	191	0	0	
081010012	80	37.21	1135	40.00	1044	18.75	1351	38.89	1165	33.33	782	31.25	636	22.22	1086	14.29	1273	37.50	402	44.44	74	44.00	850	46.67	666	55.00	472	50.00	915	30.00	684	0	0	
081010013	70	32.56	1339	46.67	697	18.75	1351	22.22	1416	26.67	964	56.25	93	0.00	1465	0.00	1470	25.00	850	33.33	286	32.00	1296	33.33	1198	45.00	890	60.00	656	30.00	684	0	0	
081010014	91	42.33	906	56.67	185	50.00	322	33.33	1274	46.67	342	37.50	451	22.22	1086	14.29	1273	75.00	402	3	22.22	647	36.00	1163	40.00	980	50.00	678	60.00	656	40.00	376	0	0
081010015	70	32.56	1339	33.33	1283	37.50	757	33.33	1274	26.67	964	56.25	93	0.00	1465	0.00	1470	12.50	1267	11.11	1111	36.00	1163	53.33	392	45.00	890	40.00	1132	30.00	684	0	0	
081010016	102	47.44	451	36.67	1184	50.00	322	61.11	480	53.33	201	37.50	451	45.56	33.33	740	35.71	455	25.00	850	22.22	647	52.00	486	53.33	392	70.00	63	80.00	206	30.00	684	0	0
081010017	99	46.05	554	46.67	697	50.00	322	33.33	1274	26.67	964	43.75	302	44.44	424	21.43	1007	12.50	1267	33.33	286	52.00	486	60.00	189	65.00	131	80.00	206	60.00	79	0	0	
081010018	115	53.49	166	56.67	185	50.00	322	77.78	94	73.33	26	50.00	180	33.33	740	28.57	708	12.50	1267	22.22	647	72.00	24	60.00	189	55.00	472	50.00	915	40.00	376	1	0	
081010019	110	51.19	244	53.33	69	56.25	170	61.11	480	60.00	114	31.25	636	52.33	188	57.14	50	25.00	850	10.00	1381	60.00	222	73.33	40	1096	60.00	656	20.00	1043	0	0		
081010020	87	40.47	933	46.67	697	56.25	170	55.56	677	20.00	1167	25.00	847	33.33	740	7.14	1411	50.00	130	33.33	286	48.00	666	46.67	666	40.00	1096	50.00	915	40.00	376	0	0	
081010021	70	32.56	1339	38.89	1143	25.00	1211	38.89	1165	33.33	782	12.50	1188	33.33	740	42.86	255	37.50	402	22.22	647	36.00	1163	40.00	980	40.00	1096	40.00	1132	30.00	684	0	0	
081010022	87	40.47	933	40.00	1044	37.50	757	44.44	1010	40.00	556	31.25	636	33.33	740	50.00	111	37.50	402	33.33	286	40.00	1025	60.00	189	25.00	1410	70.00	440	30.00	684	5	0	
081010024	75	34.98	1253	40.00	1044	18.75	1351	61.11	480	46.67	342	25.00	847	22.22	1086	21.43	1007	0.00	1446	44.44	74	32.00	1296	40.00	980	35.00	1231	40.00	206	30.00	376	0	0	
081010025	110	51.19	244	53.33	45	50.00	322	66.67	306	63.33	782	18.75	1034	55.56	188	42.86	255	30.00	130	33.33	286	74.00	850	53.33	392	75.00	259	40.00	656	50.00	191	0	0	
081010026	79	36.74	1161	43.33	889	37.50	757	27.78	1365	20.00	1167	37.50	451	22.22	1086	14.29	1273	50.00	130	11.11	1111	52.00	486	60.00	189	30.00	1333	50.00	915	40.00	376	0	0	
081010027	96	44.65	647	60.00	106	50.00	322	61.11	480	40.00	556	31.25	636	62.22	1086	21.43	1007	50.00	130	33.33	286	44.00	850	53.33	392	70.00	63	20.00	1934	10.00	1273	0	0	
081010028	99	46.05	554	53.33	341	37.50	757	50.00	862	53.33	201	0.00	1354	44.44	424	42.86	255	50.00	130	22.22	647	60.00	222	66.67	74	35.00	1231	70.00	440	50.00	191	26	0	
081010029	82	38.14	1078	43.33	889	43.75	523	55.56	677	61.11	480	46.67	342	18.75	1034	44.44	424	21.43	1007	12.50	1267	66.67	48	666	40.00	980	35.00	1231	60.00	656	10	0		
081010030	93	43.26	750	50.00	509	31.25	1021	61.11	480	46.67	342	18.75	1034	44.44	424	21.43	1007	50.00	130	33.33	286	40.00	1025	40.00	980	50.00	678	60.00	656	70.00	79	0	0	
081010031	97	45.12	610	66.67	21	50.00	322	77.78	94	46.67	342	25.00	847	22.22	1086	21.43	1007	37.50	402	33.33	286	48.00	666	33.33										



DILIMAN ACCESS COLLEGE ENTRANCE TEST REVIEW 2008 - POST-SIMULATION EXAM RESULTS

(Note: Reviewees were given Student Numbers since their first day for their identification on exams and results)

IDEAL PASSING RATE: 55%. Determining Percentages (ideal for post-simulation results):

- 55% and up - you have a very good chance of passing any school especially UP and Ateneo;
40-50% you are an excellent student, could pass DOE (SALIE and IST) but challenge yourself more;
below 35% concentrate on your strengths and hone them especially if you are scheduled to take an exam in less than a month.

For the parents: The reviewees were given a gradesheet (given on their last day) that comprises their pretest results, check up tests and tentative scoring for this exam. If the tentative score doesn't correspond with this final post simulation score, it would be due to a number of factors, such as double answers, the student's shading errors and blank answers. Their answer sheets were machine scanned to simulate the testing process itself.

Note: Students from Sacred Heart Academy of Pasig Student ID Numbers has been changed from 0810200XX to 08101400XX

Table with columns: ID Number, Overall, Language Proficiency, General Science, Biology, Chemistry, Physics, Basic Mathematics, Algebra, Geometry, Trigonometry, Reading Comprehension, General Information, Abstract Reasoning, Numerical Ability, Logical Reasoning, Blank Answers, Double Answers. Each column contains percentage, rank, and score data for various student IDs.



**DILIMAN ACCESS COLLEGE ENTRANCE TEST REVIEW 2008 - POST-SIMULATION EXAM RESULTS**  
 (Note: Reviewees were given Student Numbers since their first day for their identification on exams and results)

IDEAL PAVING RATE: 55%. Determining Percentages (ideal for post-simulation results):

- 55% and up - you have a very good chance of passing any school especially UP and Ateneo;
- 40-50% you are an excellent student, could pass DOE LA, CALLE and UST but challenge yourself more;
- below 35% concentrate on your strengths and hone them especially if you are scheduled to take an exam in less than a month.

For the parents: The reviewees were given a gradesheet (given on their last day) that comprises their pretest results, check up tests and tentative scoring for this exam. If the tentative score doesn't correspond with this final post simulation score, it would be due to a number of factors, such as double answers, the student's shading errors and blank answers. Their answer sheets were machine scanned to simulate the testing process itself.

**Note: Students from Sacred Heart Academy of Pasig Student ID Numbers has been changed from 0810200XX to 08101400XX**

ID Number	Overall		Language Proficiency		General Science		Biology		Chemistry		Physics		Basic Mathematics		Algebra		Geometry		Trigonometry		Reading Comprehension		General Information		Abstract Reasoning		Numerical Ability		Logical Reasoning		Blank Answers	Double Answers	
	RS	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank			%
0810220052	109	50.70	266	50.00	509	56.25	170	66.67	306	46.67	342	37.50	451	33.33	740	7.14	1411	25.00	850	44.44	74	64.00	107	66.67	74	65.00	131	80.00	206	30.00	684	1	0
0810220053	105	48.64	283	60.00	106	50.00	322	61.11	490	40.00	556	12.50	1188	55.56	188	28.57	708	25.00	130	44.44	74	52.00	486	66.67	74	60.00	263	50.00	915	30.00	684	1	0
0810220054	63	29.30	1423	26.67	1414	43.75	523	33.33	1274	40.00	556	6.25	1296	11.11	1354	21.43	1354	33.33	286	32.00	1296	40.00	980	35.00	1231	30.00	1287	10.00	1273	15	0		
0810220055	108	50.23	288	50.00	509	62.50	91	77.78	94	60.00	114	25.00	847	55.56	188	28.57	708	37.50	402	0.00	1381	56.00	345	46.67	666	60.00	263	70.00	440	40.00	376	0	0
0810220056	92	42.79	781	46.67	697	43.75	523	61.11	480	46.67	342	25.00	847	22.22	1086	35.71	455	62.50	402	22.22	647	32.00	1296	46.67	600	26.3	800	200	200	1043	9	0	
0810220059	108	50.23	288	43.33	889	31.25	1021	66.67	306	40.00	556	50.00	180	55.56	188	50.00	111	37.50	402	33.33	286	48.00	666	53.33	392	55.00	472	80.00	206	70.00	201	1	0
0810220060	96	44.65	647	43.33	889	37.50	757	72.22	185	40.00	556	25.00	847	44.44	424	42.86	190	25.00	850	22.22	647	44.00	850	46.67	666	55.00	472	60.00	656	20.00	1043	8	0
0810220061	49	22.79	1475	30.00	1366	18.75	1351	56	1408	0.00	1458	0.00	1354	33.33	740	14.29	1273	37.50	402	55.56	23	32.00	1296	20.00	1425	30.00	1333	30.00	1287	30.00	684	29	0
0810220062	62	28.84	1429	26.67	1414	43.75	523	55.56	677	20.00	1167	31.25	636	11.11	1354	42.86	255	0.00	1446	22.22	647	20.00	1453	20.00	1425	25.00	1410	40.00	1132	30.00	684	0	2
0810220064	86	40.00	963	50.00	509	50.00	322	27.78	1365	46.67	342	6.25	1296	22.22	1086	42.86	255	25.00	850	11.11	1111	44.00	850	73.33	20	50.00	678	30.00	1287	40.00	376	1	0
0810310001	111	51.63	223	50.00	509	62.50	91	77.78	94	46.67	342	31.25	636	55.56	188	28.57	708	25.00	850	22.22	647	36.00	222	46.67	666	65.00	131	80.00	206	40.00	376	0	0
0810310002	105	48.94	963	56.67	185	43.75	523	55.56	677	25.67	964	31.25	636	66.67	188	42.86	190	25.00	850	107	40.00	980	50.00	678	80.00	206	0.00	1416	1	0			
0810310003	69	32.09	1356	33.33	1283	13.25	1021	38.89	1165	26.67	964	31.25	636	11.11	1354	28.57	708	25.00	850	11.11	1111	36.00	1163	33.33	1198	35.00	1231	60.00	656	30.00	684	0	0
0810310004	82	38.14	1078	33.33	1283	18.75	1351	72.22	185	26.67	964	31.25	636	33.33	740	14.29	1273	25.00	850	11.11	1111	52.00	486	53.33	392	45.00	890	70.00	440	20.00	1043	0	0
0810310005	77	35.81	1213	40.00	1044	25.00	1211	44.44	1010	20.00	1167	37.50	451	33.33	740	28.57	708	50.00	130	44.44	74	40.00	1025	53.33	392	25.00	1410	40.00	1132	20.00	1043	1	0
0810310006	89	41.40	877	53.33	341	12.50	1445	16.67	1454	26.67	964	50.00	180	22.22	1086	64.29	19	50.00	130	11.11	1111	52.00	486	66.67	74	40.00	1096	50.00	915	40.00	376	0	0
0810310008	101	46.98	483	53.33	341	50.00	322	77.78	94	60.00	114	0.00	1354	33.33	740	28.57	708	37.50	402	22.22	647	32.00	1296	60.00	74	40.00	1096	70.00	440	376	0	0	
0810310010	87	40.47	933	43.33	889	31.25	1021	33.33	1274	40.00	556	6.25	1296	44.44	424	35.71	455	37.50	402	22.22	647	52.00	486	66.67	74	55.00	472	80.00	206	684	2	0	
0810310011	83	38.60	1054	40.00	1044	62.50	91	61.11	480	6.67	1431	37.50	451	22.22	1086	28.57	708	37.50	402	0.00	1381	48.00	666	53.33	392	50.00	678	20.00	1394	20.00	1043	0	0
0810310012	90	41.86	840	53.33	341	43.75	523	44.44	1010	13.33	1341	0.00	1354	55.56	188	28.57	708	25.00	850	44.44	74	48.00	666	46.67	666	60.00	263	70.00	440	40.00	376	15	0
0810310013	89	41.40	877	46.67	697	43.75	523	61.11	480	40.00	556	12.50	1188	33.33	740	21.43	1007	12.50	1267	22.22	647	64.00	222	66.67	74	40.00	1096	60.00	656	10.00	1273	11	0
0810310014	76	35.35	1236	23.33	1443	43.75	523	38.89	1165	33.33	782	31.25	636	55.56	188	14.29	1273	25.00	850	33.33	286	40.00	1025	40.00	980	75.00	19	20.00	1394	0.00	1416	0	0
0810310015	117	54.42	143	66.67	21	56.25	170	77.78	94	33.33	782	18.75	1034	44.44	424	28.57	708	37.50	402	44.44	74	60.00	222	66.67	74	65.00	131	60.00	656	70.00	20	0	0
0810310016	103	47.91	412	53.33	341	62.50	91	72.22	185	33.33	782	12.50	1188	66.67	59	35.71	455	25.00	850	22.22	647	52.00	486	53.33	392	65.00	131	70.00	440	10.00	1273	0	0
0810310017	72	33.49	1302	20.00	1459	43.75	523	44.44	1010	13.33	782	50.00	180	44.44	424	7.14	1411	25.00	850	33.33	286	20.00	1453	40.00	980	50.00	678	40.00	1132	30.00	684	1	0
0810310018	97	51.63	223	56.67	185	37.50	523	61.11	480	10.00	1010	6.25	1296	33.33	740	42.86	255	25.00	850	11.11	1111	52.00	486	66.67	74	50.00	263	40.00	206	40.00	376	0	0
0810310019	87	40.47	933	46.67	697	43.75	523	55.56	677	20.00	1167	31.25	636	33.33	740	28.57	708	25.00	850	44.44	74	32.00	1296	40.00	980	40.00	1096	80.00	206	50.00	191	0	0
0810310020	98	45.58	576	53.33	341	37.50	757	61.11	480	20.00	1167	18.75	1034	66.67	59	42.86	255	62.50	38	33.33	286	48.00	666	66.67	74	55.00	472	60.00	656	0.00	1416	0	0
0810310021	63	29.30	1423	33.33	1283	12.50	1445	22.22	1416	13.33	1341	18.75	1034	44.44	424	14.11	1411	37.50	402	33.33	286	24.00	1426	46.67	666	50.00	678	40.00	1132	40.00	376	0	0
0810310023	70	32.56	1389	40.00	1044	50.00	322	27.78	1365	13.33	1341	18.75	1034	11.11	1354	28.57	708	62.50	38	11.11	1111	32.00	1296	39.2	35.00	1231	30.00	1287	30.00	684	1	0	
0810310024	83	41.40	877	50.00	889	56.25	1475	50.00	882	33.33	782	12.50	1188	66.67	59	35.71	455	37.50	402	33.33	286	44.00	850	33.33	1198	50.00	915	30.00	684	84	0	0	
0810310029	102	47.44	451	50.00	509	37.50	757	66.67	306	20.00	1167	37.50	451	44.44	424	42.86	255	12.50	1267	22.22	647	52.00	486	60.00	189	70.00	63	80.00	206	30.00	684	1	0
0810310030	77	35.81	1213	20.00	1459	43.75	523	44.44	1010	20.00	1167	6.25	1296	33.33	740	14.29	1273	25.00	850	33.33	286	52.00	486	33.33	1198	60.00	263	70.00	440	50.00	191	8	0
0810310031	82	38.14	1078	43.33	889	31.25	1021	61.11	480	26.67	964	6.25	1296	11.11	1354	21.43	1007	50.00	130	22.22	647	60.00	222	60.00	189	40.00	1096	30.00	1287	30.00	684	17	0
0810310032	111	51.63	223	56.67	185	56.25	170	72.22	185	46.67	342	25.00	847	44.44	424	50.00	111	37.50	402	22.22	647	60.00	1025	60.00	189	60.00	263	40.00	206	50.00	191	0	0
0810310034	98	45.58	576	50.00	509	25.00	1211	77.78	94	46.67	342	25.00	847	33.33	740	21.43	1007	25.00	850	22.22	647	56.00	345	46.67	666	35.00	1231	40.00	440	376	0	0	
0810310035	64	29.77	1413	26.67	1414	56.25	170	44.44	1010	20.00	1167	12.50	1188	22.22	1086	42.86	255	12.50	1267	22.22	647	28.00	1380	46.67	666	15.00	146						



DILMAN ACCESS COLLEGE ENTRANCE TEST REVIEW 2008 - POST-SIMULATION EXAM RESULTS  
(Note: Reviewees were given Student Numbers since their first day for their identification on exams and results)

(IDEAL PASSING RATE: 55%. Determining Percentages (ideal for post-simulation results) :

- 55% and up - you have a very good chance of passing any school especially UP and Ateneo;
- 40-50% you are an excellent student, could pass DOE (based on CALLE and IST) but challenge yourself more;
- below 35% concentrate on your strengths and hone them especially if you are scheduled to take an exam in less than a month .

For the parents: The reviewees were given a gradesheet (given on their last day) that comprises their pretest results, check up tests and tentative scoring for this exam. If the tentative score doesn't correspond with this final post simulation score, it would be due to a number of factors, such as double answers, such as double answers, the student's shading errors and blank answers. Their answer sheets were machine scanned to simulate the testing process itself.

Note: Students from Sacred Heart Academy of Pasig Student ID Numbers has been changed from 0810200XX to 08101400XX

ID Number	Overall		Language Proficiency		General Science		Biology		Chemistry		Physics		Basic Mathematics		Algebra		Geometry		Trigonometry		Reading Comprehension		General Information		Abstract Reasoning		Numerical Ability		Logical Reasoning		Blank Answers	Double Answers	
	RS	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank			%
0810310092	75	34.88	1253	36.67	1184	37.50	757	44.44	1010	20.00	1167	31.25	636	11.11	1354	21.43	1007	12.50	1267	22.22	647	32.00	1296	46.67	666	40.00	1096	60.00	656	60.00	79	0	0
0810310093	106	49.30	339	53.33	341	43.75	523	77.78	94	40.00	556	0.00	1354	77.78	8	57.14	50	25.00	850	22.22	647	56.00	345	53.33	392	55.00	407	70.00	440	40.00	376	23	0
0810310094	64	29.77	1413	43.33	889	25.00	1211	33.33	1274	13.33	1341	0.00	1354	33.33	740	21.43	402	11.11	1111	48.00	666	33.33	1198	20.00	1449	60.00	656	20.00	1043	20	0		
0810310095	76	35.35	1236	53.33	341	50.00	322	16.67	1454	0.00	1458	0.00	1354	44.44	424	21.43	1007	62.50	38	44.44	74	36.00	1163	46.67	666	50.00	678	70.00	440	0.00	1416	35	0
0810310096	95	44.19	686	50.00	509	56.25	170	61.11	480	46.67	342	25.00	847	55.56	188	28.57	708	50.00	130	22.22	647	40.00	847	53.33	392	50.00	678	50.00	915	10.00	1273	0	0
0810310097	84	39.07	1019	36.67	1184	25.00	1211	50.00	862	13.33	1341	25.00	847	66.67	59	7.14	1411	25.00	850	44.44	74	36.00	1163	53.33	392	65.00	131	70.00	440	40.00	376	0	0
0810310098	80	37.21	1135	36.67	1184	25.00	1211	50.00	862	33.33	1341	25.00	847	66.67	59	7.14	1411	25.00	850	44.44	74	36.00	1163	53.33	392	65.00	131	70.00	440	40.00	376	0	0
0810310099	108	50.23	288	40.00	1044	56.25	170	88.89	14	46.67	342	43.75	305	45.56	188	28.57	708	12.50	1267	22.22	647	64.00	107	60.00	189	60.00	263	50.00	915	60.00	684	4	0
0810310100	87	40.47	933	16.67	1473	37.50	757	55.56	677	46.67	342	56.25	93	44.44	424	28.57	708	12.50	1267	22.22	647	44.00	850	53.33	392	60.00	263	50.00	915	30.00	684	4	0
0810310101	59	27.44	1447	23.33	1443	25.00	1211	22.22	1416	33.33	782	31.25	636	22.22	1086	28.57	708	37.50	402	11.11	1111	20.00	1453	46.67	666	30.00	1333	30.00	1287	30.00	684	0	0
0810310102	101	46.98	483	46.67	697	50.00	322	61.11	480	40.00	556	12.50	1188	55.56	188	35.71	455	50.00	130	22.22	647	56.00	345	53.33	392	60.00	263	60.00	656	40.00	376	0	0
0810310103	95	44.65	647	56.67	185	18.75	1351	61.11	480	20.00	1167	18.75	1034	77.78	8	57.14	455	37.50	402	22.22	647	56.00	1380	40.00	980	60.00	263	60.00	656	70.00	20	1	1
0810310104	80	37.21	1135	40.00	1044	56.25	170	50.00	862	20.00	1167	12.50	1188	33.33	740	28.57	708	37.50	402	22.22	647	40.00	1025	73.33	20	45.00	890	50.00	1450	20.00	1043	0	0
0810310105	108	50.23	288	56.67	185	43.75	523	72.22	185	33.33	782	37.50	451	66.67	59	28.57	708	25.00	850	22.22	647	44.00	850	60.00	189	55.00	472	100.00	1	50.00	191	0	0
0810310106	87	40.47	933	36.67	1184	50.00	322	50.00	862	26.67	1184	37.50	302	22.22	1086	50.00	111	37.50	402	44.44	74	28.00	1380	60.00	189	45.00	890	40.00	1132	30.00	684	1	0
0810310107	81	37.67	1110	36.67	1184	18.75	1351	61.11	480	40.00	556	18.75	1034	22.22	1086	35.71	455	0.00	1446	33.33	286	40.00	1025	40.00	980	60.00	263	60.00	656	30.00	684	2	0
0810310108	112	52.00	205	50.00	509	37.50	757	77.78	94	40.00	556	18.75	1034	77.78	8	50.00	111	37.50	402	22.22	647	56.00	486	60.00	189	60.00	263	90.00	73	0.00	191	0	0
0810310109	107	49.77	312	53.33	341	62.50	91	83.33	349	33.33	782	12.50	1188	44.44	424	35.71	455	12.50	1267	22.22	647	68.00	49	66.67	74	65.00	131	60.00	656	10.00	1273	0	0
0810310110	118	54.88	186	56.67	185	31.25	1021	66.67	306	46.67	342	31.25	636	100.00	1	50.00	111	50.00	130	22.22	647	52.00	486	60.00	189	80.00	5	70.00	440	50.00	191	0	0
0810310111	89	41.40	877	50.00	509	50.00	322	72.22	185	26.67	964	18.75	1034	33.33	740	42.86	255	25.00	850	33.33	286	40.00	1025	53.33	392	45.00	890	10.00	1450	40.00	376	0	1
0810310112	87	40.47	933	40.00	1044	50.00	322	61.11	480	46.67	342	25.00	847	55.56	188	35.71	455	37.50	402	22.22	647	32.00	1296	40.00	980	50.00	678	40.00	1132	20.00	1043	1	1
0810310113	64	29.77	1413	33.33	1283	43.75	523	33.33	1274	20.00	1167	31.25	636	33.33	740	28.57	708	37.50	402	22.22	647	40.00	1025	26.67	1344	15.00	1463	20.00	1394	20.00	1043	1	0
0810310114	107	49.77	312	53.33	341	56.25	170	88.89	14	33.33	782	0.00	1354	33.33	740	42.86	255	25.00	850	22.22	647	40.00	1025	73.33	20	75.00	19	80.00	206	40.00	376	22	0
0810310116	105	48.84	363	56.67	185	25.00	1211	55.56	677	60.00	114	68.75	20	33.33	740	42.86	255	37.50	402	0.00	1381	48.00	666	46.67	666	65.00	131	70.00	440	30.00	684	1	1
0810310117	83	38.60	1054	36.67	1184	37.50	757	50.00	862	13.33	1341	18.75	1034	33.33	740	21.43	1007	25.00	850	22.22	647	60.00	666	33.33	1198	65.00	131	70.00	440	20.00	1043	1	1
0810310118	96	44.65	647	56.67	185	56.25	170	61.11	480	46.67	342	0.00	1354	25.56	188	28.57	708	37.50	402	11.11	1111	32.00	1296	20.00	1449	60.00	656	20.00	1043	27	0	0	
0810310119	97	45.12	610	40.00	1044	56.25	170	55.56	677	60.00	114	25.00	847	33.33	740	28.57	708	25.00	850	11.11	1111	56.00	345	53.33	392	45.00	890	50.00	915	70.00	20	25	0
0810310120	96	44.65	647	53.33	341	50.00	322	33.33	1274	20.00	1167	25.00	847	44.44	424	35.71	455	37.50	402	33.33	286	52.00	486	53.33	392	65.00	131	40.00	1132	60.00	79	0	0
0810310121	99	46.05	554	36.67	1184	31.25	1021	50.00	862	46.67	342	31.25	636	44.44	424	42.86	255	37.50	402	33.33	286	64.00	107	33.33	1198	65.00	131	90.00	73	30.00	684	0	0
0810310123	105	48.84	363	40.00	1044	62.50	91	66.67	306	26.67	964	43.75	302	37.78	8	50.00	111	37.50	402	33.33	286	64.00	866	60.00	189	55.00	472	40.00	1132	40.00	376	0	0
0810310124	89	41.40	877	56.67	185	56.25	170	16.67	1454	60.00	114	18.75	1034	44.44	424	21.43	1007	37.50	402	33.33	286	36.00	1163	46.67	666	65.00	263	50.00	915	20.00	1043	0	0
0810310127	116	53.49	166	56.67	185	43.75	523	83.33	349	33.33	782	31.25	636	66.67	59	50.00	111	25.00	850	22.22	647	60.00	222	46.67	666	65.00	131	90.00	73	50.00	191	0	0
0810310128	86	40.00	963	50.00	509	50.00	322	61.11	480	33.33	782	43.75	302	22.22	1086	21.43	1007	25.00	850	11.11	1111	40.00	1025	26.67	1344	30.00	1333	50.00	915	70.00	20	0	0
0810310130	95	44.19	686	50.00	509	62.50	91	61.11	480	33.33	782	0.00	1354	44.44	424	42.86	255	25.00	850	11.11	1111	40.00	1025	46.67	666	60.00	263	70.00	440	50.00	191	22	0
0810310131	97	45.12	610	46.67	697	75.00	24	61.11	480	60.00	1167	18.75	1034	33.33	740	28.57	708	12.50	1267	33.33	286	60.00	222	60.00	189	60.00	263	60.00	656	40.00	376	0	0
0810310132	132	61.40	25	50.00	509	50.00	322	61.11	480	80.00	111	75.00	7	33.33	740	35.71	455	50.00	130	22.22	647	78.00	24	73.33	20	60.00	263	80.00	206	60.00	79	0	0
0810310133	107	49.77	312	53.33	341	50.00	322	72.22	185	66.67	62	31.25	636	44.44	424	21.43	1007	12.50	1267	22.22	647	64.00	107	40									



DILIMAN ACCESS COLLEGE ENTRANCE TEST REVIEW 2008 - POST-SIMULATION EXAM RESULTS

(Note: Reviewees were given Student Numbers since their first day for their identification on exams and results)

IDEAL PASSING RATE: 55%. Determining Percentages (ideal for post-simulation results):

- 55% and up - you have a very good chance of passing any school especially UP and Ateneo;
40-50% you are an old past student, could pass DOE LA CALLE and IST but challenge yourself more;
below 35% concentrate on your strengths and hone them especially if you are scheduled to take an exam in less than a month.

For the parents: The reviewees were given a gradesheet (given on their last day) that comprises their pretest results, check up tests and tentative scoring for this exam. If the tentative score doesn't correspond with this final post simulation score, it would be due to a number of factors, such as double answers, the student's shading errors and blank answers. Their answer sheets were machine scanned to simulate the testing process itself.

Note: Students from Sacred Heart Academy of Pasig Student ID Numbers has been changed from 0810200XX to 08101400XX

Table with columns: ID Number, Overall, Language Proficiency, General Science, Biology, Chemistry, Physics, Basic Mathematics, Algebra, Geometry, Trigonometry, Reading Comprehension, General Information, Abstract Reasoning, Numerical Ability, Logical Reasoning, Blank Answers, Double Answers. Each column contains percentage, rank, and score data for 2008 students.



DILIMAN ACCESS COLLEGE ENTRANCE TEST REVIEW 2008 - POST-SIMULATION EXAM RESULTS  
(Note: Reviewees were given Student Numbers since their first day for their identification on exams and results)

(IDEAL PASSING RATE: 55%. Determining Percentages (ideal for post-simulation results) :

- 55% and up - you have a very good chance of passing any school especially UP and Ateneo;
- 40-50% you are at a point where you could pass DOE (based on past students' results) but you still need to challenge yourself more;
- below 35% concentrate on your strengths and hone them especially if you are scheduled to take an exam in less than a month.

For the parents: The reviewees were given a gradesheet (given on their last day) that comprises their pretest results, check up tests and tentative scoring for this exam. If the tentative score doesn't correspond with this final post simulation score, it would be due to a number of factors, such as double answers, the student's shading errors and blank answers. Their answer sheets were machine scanned to simulate the testing process itself.

Note: Students from Sacred Heart Academy of Pasig Student ID Numbers has been changed from 0810200XX to 08101400XX

ID Number	Overall		Language Proficiency		General Science		Biology		Chemistry		Physics		Basic Mathematics		Algebra		Geometry		Trigonometry		Reading Comprehension		General Information		Abstract Reasoning		Numerical Ability		Logical Reasoning		Blank Answers	Double Answers	
	RS	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank			%
081020019	102	47.44	441	43.33	889	37.50	757	66.67	306	20.00	1167	37.50	451	44.44	424	50.00	1111	37.50	402	11.11	1111	56.00	345	46.67	666	70.00	63	80.00	206	40.00	376	1	0
081020021	96	44.65	647	40.00	1044	25.00	1211	50.00	862	46.67	342	50.00	180	44.44	424	42.86	255	37.50	402	0.00	1381	36.00	1163	80.00	4	55.00	472	60.00	656	50.00	191	0	0
081020022	109	50.70	266	66.67	21	37.50	757	61.11	480	53.33	201	31.25	636	44.44	424	57.14	50	37.50	402	11.11	1111	52.00	486	60.00	189	40.00	1096	90.00	73	40.00	376	0	0
081020023	111	51.63	223	46.67	697	37.50	757	61.11	480	53.33	201	43.75	302	44.44	424	35.71	455	25.00	850	44.44	74	64.00	107	53.33	392	55.00	472	100.00	1	50.00	191	0	0
081020024	72	33.49	1302	43.33	889	31.25	1021	44.44	1010	13.33	1341	18.75	1034	33.33	740	42.86	255	25.00	850	22.22	647	36.00	1163	13.33	1464	50.00	678	30.00	1287	40.00	376	0	0
081020025	94	43.72	721	43.33	889	43.75	523	61.11	440	33.33	782	31.25	636	22.22	1086	21.43	1007	50.00	130	22.22	647	56.00	345	73.33	20	45.00	890	40.00	1132	40.00	376	0	0
081020026	104	48.37	390	40.00	1044	56.25	170	61.11	480	80.00	111	37.50	451	33.33	740	35.71	455	33.33	850	11.11	1111	48.00	666	40.00	980	50.00	678	80.00	206	70.00	20	2	0
081020027	101	51.16	244	60.00	106	43.75	523	55.56	677	46.67	342	50.00	302	44.44	424	21.43	1007	37.50	402	11.11	1111	64.00	107	53.33	392	70.00	63	60.00	656	70.00	20	4	0
081020028	103	47.91	412	63.33	45	56.25	170	38.89	1165	46.67	342	18.75	1034	55.56	188	21.43	1007	37.50	402	22.22	647	48.00	666	53.33	392	55.00	472	90.00	73	50.00	191	0	0
081020029	101	46.98	483	53.33	341	31.25	1021	72.22	185	46.67	342	62.50	1296	55.56	188	28.57	708	37.50	402	33.33	286	60.00	222	40.00	980	55.00	472	80.00	206	40.00	376	10	0
081020030	83	38.60	1054	46.67	697	25.00	1211	66.67	306	40.00	556	50.00	180	22.22	1086	21.43	1007	50.00	130	11.11	1111	32.00	1296	33.33	1198	45.00	890	50.00	915	20.00	1043	0	0
081020031	81	38.90	1054	43.33	889	37.50	757	44.44	1010	33.33	1341	25.00	947	44.44	424	35.71	708	25.00	850	11.63	46.67	666	45.00	890	60.00	656	29.00	40	60.00	684	1	0	
081020032	90	41.96	840	53.33	341	43.75	523	44.44	1010	26.67	964	31.25	636	22.22	1086	35.71	455	25.00	850	22.22	647	40.00	1296	46.67	666	50.00	678	60.00	656	70.00	79	1	0
081020033	88	40.93	913	46.67	697	37.50	757	55.56	677	40.00	556	25.00	847	33.33	740	50.00	111	37.50	402	11.11	1111	44.00	850	33.33	1198	45.00	890	60.00	656	30.00	684	0	0
081020034	71	33.02	1324	26.67	1414	43.75	523	38.89	1165	26.67	964	37.50	451	22.22	1086	50.00	111	37.50	402	22.22	647	28.00	1380	33.33	1198	30.00	1333	30.00	1287	40.00	376	0	0
081020035	106	49.30	339	43.33	889	18.75	1351	77.78	94	46.67	342	43.75	302	55.56	188	28.57	708	50.00	130	11.11	1111	56.00	345	53.33	392	65.00	131	60.00	656	70.00	20	2	0
081020036	93	43.92	572	60.00	106	25.00	1211	61.11	480	33.33	782	56.25	93	11.11	1354	28.57	708	37.50	402	11.11	1111	60.00	222	46.67	666	45.00	890	30.00	1287	30.00	684	1	0
081020037	106	49.30	339	36.67	1184	50.00	322	66.67	306	46.67	342	31.25	636	44.44	424	57.14	50	25.00	850	0.00	1381	52.00	486	46.67	666	75.00	19	80.00	206	60.00	79	1	0
081020038	112	52.09	205	53.33	341	56.25	170	44.44	1010	40.00	556	50.00	180	55.56	188	50.00	111	50.00	130	33.33	286	44.00	480	56.67	666	50.00	678	100.00	1	80.00	3	0	0
081020039	103	47.91	412	46.67	697	56.25	170	66.67	306	53.33	201	50.00	180	44.44	424	42.86	255	37.50	402	33.33	286	36.00	1163	66.67	74	30.00	1333	80.00	206	30.00	684	0	0
081020040	131	60.93	27	50.00	509	62.50	97	72.22	185	60.00	114	62.50	46	55.56	188	78.57	708	25.00	850	55.56	23	52.00	486	60.00	189	60.00	263	90.00	73	80.00	3	0	0
081020041	108	50.23	288	53.33	341	31.25	1021	61.11	480	53.33	201	37.50	451	44.44	424	28.57	708	37.50	402	22.22	647	56.00	345	53.33	392	65.00	131	90.00	73	50.00	191	7	0
081020042	101	46.98	483	56.67	185	43.75	523	55.56	677	40.00	556	31.25	636	22.22	1086	21.43	1007	37.50	402	44.44	74	64.00	107	53.33	392	45.00	890	60.00	206	30.00	684	0	0
081020043	85	39.53	991	50.00	509	18.75	1351	55.56	677	33.33	782	0.00	1354	33.33	740	42.86	255	12.50	1267	33.33	286	48.00	666	46.67	666	45.00	890	80.00	206	30.00	684	20	0
081020044	89	40.93	913	53.33	341	18.75	1351	61.11	480	20.00	1167	31.25	636	33.33	740	21.43	1007	25.00	850	22.22	647	52.00	486	40.00	980	55.00	472	50.00	915	50.00	191	0	0
081020045	81	38.90	1054	33.33	1283	43.75	523	33.33	1274	13.33	1341	12.50	1354	33.33	740	50.00	111	37.50	402	11.11	1111	52.00	486	66.67	1198	45.00	890	45.00	890	45.00	376	21	0
081020047	79	36.28	1183	56.67	185	31.25	1021	33.33	1274	26.67	964	12.50	1188	22.22	1086	14.29	1273	25.00	850	33.33	286	52.00	486	53.33	392	45.00	890	20.00	1394	30.00	684	0	0
081020048	107	49.77	312	46.67	697	62.50	91	66.67	306	46.67	342	25.00	947	66.67	59	28.57	708	50.00	130	11.11	1111	56.00	345	60.00	189	55.00	472	80.00	206	30.00	684	0	0
081020050	71	33.02	1324	46.67	697	56.25	170	38.89	1165	53.33	201	37.50	451	11.11	1354	35.71	455	12.50	1267	11.11	1111	36.00	1163	46.67	666	0.00	1480	10.00	1450	20.00	1043	29	0
081020051	100	46.51	523	46.67	697	43.75	523	66.67	306	26.67	964	31.25	636	22.22	1086	42.86	255	37.50	402	11.11	1111	52.00	486	66.67	74	60.00	263	70.00	440	40.00	376	2	0
081020001	75	34.88	1253	40.00	1044	37.50	757	44.44	1010	20.00	1167	25.00	847	33.33	740	21.43	1007	37.50	402	11.11	1111	32.00	1297	40.00	980	45.00	890	60.00	656	50.00	880	0	0
081020002	104	48.37	390	53.33	341	37.50	757	61.11	480	46.67	342	12.50	1188	33.33	740	50.00	111	37.50	402	33.33	286	56.00	345	66.67	74	45.00	890	80.00	206	50.00	191	28	0
081020003	74	34.42	1275	53.33	341	37.50	757	38.89	1165	20.00	1167	0.00	1275	33.33	740	14.29	1273	12.50	1267	11.11	1111	52.00	486	46.67	666	50.00	678	40.00	1132	10.00	1273	13	2
081020004	87	40.47	933	53.33	341	31.25	1021	72.22	185	33.33	782	0.00	1354	33.33	740	21.43	1007	37.50	402	22.22	647	60.00	222	53.33	392	45.00	890	30.00	1287	20.00	1043	17	0
081020005	92	42.79	781	40.00	1044	43.75	523	77.78	94	33.33	782	18.75	1034	11.11	1354	28.57	708	37.50	402	22.22	647	52.00	486	40.00	980	65.00	131	60.00	656	70.00	20	0	
081020006	100	46.51	523	40.00	1044	31.25	1021	50.00	862	26.67	964	31.25	636	66.67	59	35.71	455	50.00	130	22.22	647	60.00	486	46.67	666	75.00	19	90.00	73	40.00	376	0	1
081020007	102	47.44	441	50.00	509	18.75	1351	66.67	306	66.67	62	56.25	93	22.22	1086	42.86	255	37.50	402	11.11	1111	48.00	666	53.33	392								



**DILIMAN ACCESS COLLEGE ENTRANCE TEST REVIEW 2008 - POST-SIMULATION EXAM RESULTS**  
(Note: Reviewees were given Student Numbers since their first day for their identification on exams and results)

IDEAL PASSING RATE: 55%. Determining Percentages (ideal for post-simulation results):

- 55% and up - you have a very good chance of passing any school especially UP and Ateneo;
- 40-50% you are on a tight spot, you could pass DOE LA, SAILE and IST but challenge yourself more;
- below 35% concentrate on your strengths and hone them especially if you are scheduled to take an exam in less than a month.

For the parents: The reviewees were given a gradesheet (given on their last day) that comprises their pretest results, check up tests and tentative scoring for this exam. If the tentative score doesn't correspond with this final post simulation score, it would be due to a number of factors, such as double answers, the student's shading errors and blank answers. Their answer sheets were machine scanned to simulate the testing process itself.

**Note: Students from Sacred Heart Academy of Pasig Student ID Numbers has been changed from 0810200XX to 08101400XX**

ID Number	Overall		Language Proficiency		General Science		Biology		Chemistry		Physics		Basic Mathematics		Algebra		Geometry		Trigonometry		Reading Comprehension		General Information		Abstract Reasoning		Numerical Ability		Logical Reasoning		Blank Answers	Double Answers	
	RS	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank			%
081020060	97	45.12	610	33.33	1283	50.00	322	61.11	480	40.00	556	37.50	180	33.33	740	42.86	255	50.00	130	44.44	74	44.00	850	60.00	189	65.00	131	10.00	1450	30.00	684	1	1
081020061	78	36.28	1183	40.00	1044	31.25	1021	55.56	670	40.00	556	37.50	451	33.33	740	28.57	708	25.00	850	11.11	1111	20.00	1453	40.00	980	60.00	263	20.00	1350	40.00	376	2	0
081020062	97	45.12	610	33.33	889	50.00	322	55.56	677	65.67	621	43.75	302	22.22	1086	14.29	1086	35.71	402	55.56	23	40.00	1025	46.67	665	40.00	1096	60.00	656	30.00	684	0	2
081020063	93	43.26	750	50.00	509	43.75	523	61.11	480	33.33	782	25.00	847	22.22	1086	14.29	1273	37.50	402	66.67	6	44.00	850	33.33	1198	70.00	63	50.00	915	30.00	684	0	0
081020064	81	37.67	1110	40.00	1044	31.25	1021	27.78	1365	33.33	782	25.00	180	44.44	424	35.71	455	37.50	402	22.22	647	24.00	1344	70.00	63	50.00	915	30.00	684	0	0		
081020065	82	38.14	1078	60.00	106	37.50	757	27.78	1365	20.00	1167	31.25	636	33.33	740	35.71	455	37.50	402	22.22	647	44.00	850	26.67	1344	40.00	1096	50.00	915	40.00	376	0	1
081020066	83	38.60	1054	36.67	1184	37.50	757	44.44	1010	26.67	964	12.50	1188	66.67	59	35.71	455	25.00	850	22.22	647	68.00	49	60.00	189	45.00	890	10.00	1450	10.00	1273	2	0
081020068	100	46.51	523	46.67	697	37.50	757	72.22	185	26.67	964	50.00	180	11.11	1354	50.00	111	37.50	402	22.22	647	60.00	222	46.67	666	65.00	131	30.00	1287	40.00	376	0	1
081020070	92	42.79	781	43.33	889	56.25	170	50.00	862	33.33	782	37.50	451	33.33	740	14.29	1273	25.00	850	22.22	647	56.00	345	46.67	666	60.00	263	30.00	1287	50.00	191	0	1
081020071	129	60.00	36	60.00	106	43.75	523	83.33	39	53.33	201	62.50	46	66.67	59	57.14	50	37.50	402	22.22	647	76.00	10	46.67	666	55.00	472	100.00	1	50.00	191	0	0
081020072	68	31.83	1369	36.67	1184	37.50	757	44.44	1010	13.33	1341	12.50	1188	22.22	1086	14.29	1273	37.50	402	11.11	1111	44.00	850	26.67	1344	35.00	1231	50.00	915	20.00	1043	8	0
081020073	90	41.96	840	46.67	697	18.75	1351	61.11	480	26.67	964	62.50	1296	55.56	188	21.43	1007	62.50	38	44.44	74	44.00	107	66.67	74	30.00	1333	50.00	915	30.00	684	19	1
081020074	89	45.58	676	43.33	889	62.50	91	77.78	94	20.00	1167	0.00	1354	44.44	424	28.57	708	62.50	38	22.22	647	44.00	850	46.67	666	60.00	263	80.00	206	50.00	191	24	2
081020075	89	41.40	877	46.67	697	37.50	757	55.56	677	46.67	342	31.25	636	44.44	424	21.43	1007	25.00	850	22.22	647	48.00	666	40.00	980	45.00	890	50.00	915	40.00	376	4	0
081020076	107	49.77	312	50.00	509	31.25	1021	61.11	480	46.67	342	62.50	46	55.56	188	14.29	1273	37.50	402	11.11	1111	52.00	486	53.33	392	65.00	131	80.00	206	60.00	79	0	0
081020077	87	40.47	933	43.33	889	31.25	1021	55.56	676	60.00	114	37.50	50	55.56	189	21.43	1007	37.50	402	0.00	1381	40.00	1029	46.67	666	30.00	1333	60.00	656	40.00	376	0	0
081020078	114	53.02	184	60.00	106	43.75	523	61.11	480	46.67	342	25.00	847	66.67	59	50.00	130	33.33	286	64.00	107	46.67	666	65.00	131	80.00	206	30.00	684	0	0		
081020079	121	56.28	94	70.00	12	50.00	322	72.22	185	60.00	114	43.75	302	55.56	188	35.71	455	50.00	130	33.33	286	64.00	107	53.33	392	40.00	1096	80.00	206	60.00	79	0	0
081020080	99	46.05	554	56.67	185	37.50	757	55.56	677	46.67	342	31.25	636	44.44	424	42.86	255	50.00	130	22.22	647	60.00	222	46.67	666	60.00	263	30.00	1287	10.00	1273	3	0
081020081	115	53.49	166	53.33	341	62.50	91	66.67	306	40.00	556	50.00	180	22.22	1086	57.14	50	50.00	130	33.33	286	64.00	107	60.00	189	55.00	472	50.00	915	50.00	191	0	0
081020082	91	42.33	806	40.00	1044	31.25	1021	50.00	862	33.33	782	18.75	1034	55.56	188	35.71	455	37.50	402	22.22	647	60.00	222	26.67	1344	55.00	472	80.00	206	40.00	376	11	0
081020083	119	55.35	117	56.67	185	62.50	91	72.22	185	60.00	114	12.50	1188	44.44	424	64.29	19	37.50	402	66.67	6	48.00	666	73.33	20	45.00	890	60.00	206	60.00	79	12	0
081020084	102	47.44	451	50.00	509	50.00	322	61.11	480	46.67	342	25.00	847	66.67	59	35.71	455	25.00	850	11.11	1111	44.00	850	46.67	666	65.00	131	80.00	206	40.00	376	4	0
081020085	121	56.28	94	53.33	341	62.50	91	61.11	480	46.67	342	43.75	302	77.78	8	57.14	50	50.00	130	22.22	647	64.00	107	53.33	392	45.00	130	90.00	73	40.00	376	12	0
081020086	96	44.67	847	43.33	889	62.50	91	66.67	306	40.00	556	62.50	180	22.22	1086	14.29	1273	37.50	402	10.00	1381	40.00	1029	46.67	666	60.00	1333	60.00	656	40.00	376	0	0
081020087	79	36.74	1161	43.33	889	31.25	1021	44.44	1010	20.00	1167	25.00	847	11.11	1354	28.57	708	37.50	402	11.11	1111	44.00	850	60.00	189	50.00	678	50.00	915	20.00	1043	2	1
081020088	109	50.70	266	53.33	341	50.00	322	83.33	39	40.00	556	37.50	251	22.22	1086	50.00	111	25.00	850	0.00	1381	44.00	850	46.67	666	65.00	131	100.00	1	60.00	79	1	0
081020089	82	38.14	1078	43.33	889	37.50	757	27.78	1365	13.33	1341	43.75	302	11.11	1354	28.57	708	37.50	402	22.22	647	52.00	486	40.00	980	45.00	890	60.00	656	50.00	191	0	0
081020090	114	53.02	184	66.67	21	25.00	121	72.22	185	46.67	342	36.25	93	55.56	188	57.14	50	25.00	850	55.56	23	56.00	345	60.00	389	50.00	890	45.00	890	50.00	376	0	0
081020091	103	47.91	412	33.33	341	50.00	322	55.56	676	33.33	782	37.50	451	66.67	59	42.86	255	50.00	38	0.00	1381	44.00	850	33.33	392	60.00	263	70.00	440	90.00	684	0	0
081020092	94	43.72	721	36.67	1184	25.00	1211	44.44	1010	26.67	964	12.50	1188	55.56	188	42.86	255	25.00	850	33.33	286	64.00	345	53.33	392	60.00	263	70.00	440	90.00	684	0	0
081020093	104	48.37	390	46.67	697	68.75	38	50.00	862	33.33	782	31.25	636	33.33	740	42.86	255	50.00	130	22.22	647	56.00	107	60.00	189	65.00	131	50.00	915	10.00	1273	1	0
081020094	75	34.88	1253	50.00	509	31.25	1021	38.89	1165	40.00	556	25.00	847	11.11	1354	35.71	455	12.50	1267	11.11	1111	32.00	1296	53.33	392	40.00	1096	50.00	915	10.00	1273	0	0
081020095	96	44.67	846	46.67	697	50.00	322	44.44	1010	60.00	114	43.75	302	63.33	740	35.71	455	25.00	850	0.00	1381	40.00	1029	53.33	392	55.00	472	70.00	440	40.00	376	0	0
081020096	116	53.95	156	50.00	509	43.75	523	77.78	94	13.33	1341	62.50	46	55.56	188	42.86	255	62.50	38	33.33	286	64.00	107	53.33	392	65.00	131	70.00	684	19	0	0	
081020097	96	44.65	847	30.00	1366	50.00	322	66.67	306	60.00	114	43.75	302	44.44	424	35.71	455	25.00	850	33.33	286	48.00	666	66.67	1198	60.00	263	70.00	440	10.00	1273	31	0
081020098	95	44.19	686	36.67	1184	37.50	757	66.67	306	33.33	782	12.50	1188	66.67	59	28.57	708	12.50	1267	11.11	1111	48.00	666	53.33	392	65.00	131	100.00	1</				



DILIMAN ACCESS COLLEGE ENTRANCE TEST REVIEW 2008 - POST-SIMULATION EXAM RESULTS  
(Note: Reviewees were given Student Numbers since their first day for their identification on exams and results)

IDEAL PASSING RATE: 55%. Determining Percentages (ideal for post-simulation results):  
55% and up - you have a very good chance of passing any school especially UP and Ateneo;  
40-55% you are on the pass but students could pass DUE LA CALLE and IST but challenge yourself more;  
below 35% concentrate on your strengths and hone them especially if you are scheduled to take an exam in less than a month.

For the parents: The reviewees were given a gradesheet (given on their last day) that comprises their pretest results, check up tests and tentative scoring for this exam. If the tentative score doesn't correspond with this final post simulation score, it would be due to a number of factors, such as double answers, the student's shading errors and blank answers. Their answer sheets were machine scanned to simulate the testing process itself.

Note: Students from Sacred Heart Academy of Pasig Student ID Numbers has been changed from 0810200XX to 08101400XX

Table with columns: ID Number, Overall, Language Proficiency, General Science, Biology, Chemistry, Physics, Basic Mathematics, Algebra, Geometry, Trigonometry, Reading Comprehension, General Information, Abstract Reasoning, Numerical Ability, Logical Reasoning, Blank Answers, Double Answers. Each column contains percentage and rank data for 1000 students.



**DILIMAN ACCESS COLLEGE ENTRANCE TEST REVIEW 2008 - POST-SIMULATION EXAM RESULTS**  
(Note: Reviewees were given Student Numbers since their first day for their identification on exams and results)

IDEAL PASSING RATE: 55%. Determining Percentages (ideal for post-simulation results):

- 55% and up - you have a very good chance of passing any school especially UP and Ateneo;
- 40-50% you are a good past student, could pass DLSU (based on LA, SALES and IST) but challenge yourself more;
- below 35% concentrate on your strengths and hone them especially if you are scheduled to take an exam in less than a month.

For the parents: The reviewees were given a gradesheet (given on their last day) that comprises their pretest results, check up tests and tentative scoring for this exam. If the tentative score doesn't correspond with this final post simulation score, it would be due to a number of factors, such as double answers, the student's shading errors and blank answers. Their answer sheets were machine scanned to simulate the testing process itself.

**Note: Students from Sacred Heart Academy of Pasig Student ID Numbers has been changed from 0810200XX to 08101400XX**

ID Number	Overall		Language Proficiency		General Science		Biology		Chemistry		Physics		Basic Mathematics		Algebra		Geometry		Trigonometry		Reading Comprehension		General Information		Abstract Reasoning		Numerical Ability		Logical Reasoning		Blank Answers	Double Answers		
	RS	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank			%	
0810710051	62	28.84	1429	46.67	697	31.25	1021	33.33	1274	33.33	782	37.50	451	11.11	1354	35.71	415	37.50	402	33.33	286	16.00	1449	20.00	1425	20.00	1394	10.00	1273	1	0			
0810710052	91	42.33	806	43.33	889	43.75	523	61.11	480	26.67	964	43.75	302	30.22	1086	7.14	1411	37.50	402	33.33	286	16.00	1468	60.00	189	40.00	1096	80.00	206	30.00	684	0	1	
0810710053	81	37.67	1110	33.33	1283	18.75	1351	50.00	862	33.33	782	43.75	302	33.33	740	14.29	1273	25.00	402	22.22	647	48.00	666	40.00	980	45.00	890	60.00	656	50.00	191	0	0	
0810710055	77	35.81	1213	36.67	1184	31.25	1021	38.89	1165	20.00	1167	25.00	847	66.67	59	21.43	1007	25.00	850	33.33	286	36.00	1163	40.00	980	60.00	263	40.00	1132	20.00	1043	4	0	
0810710056	85	39.53	991	40.00	1044	25.00	1211	61.11	480	26.67	964	31.25	636	55.56	188	35.71	415	25.00	850	11.11	1111	44.00	636	40.00	980	55.00	472	50.00	915	30.00	684	0	0	
0810710057	88	40.93	913	60.00	106	37.50	757	50.00	862	46.67	342	43.75	302	22.22	1086	21.43	1007	25.00	850	22.22	647	44.00	850	33.33	1198	50.00	678	40.00	1132	20.00	1043	0	0	
0810710058	90	41.98	840	36.67	1184	18.75	1351	61.11	480	20.00	1167	50.00	180	33.33	740	28.57	708	12.50	1287	33.33	286	48.00	107	33.33	1198	60.00	263	50.00	915	50.00	191	0	0	
0810710059	96	44.65	647	43.33	889	43.75	523	43.33	782	31.25	31	25.00	636	55.56	188	35.71	415	12.50	1287	44.44	74	52.00	486	53.33	392	50.00	678	80.00	206	60.00	709	0	0	
0810710060	76	35.35	1236	46.67	697	18.75	1351	33.33	1274	60.00	114	31.25	636	33.33	740	21.43	1007	50.00	130	11.11	1111	44.00	850	33.33	1198	40.00	1096	30.00	1287	10.00	1273	0	0	
0810710061	77	35.81	1213	56.67	185	12.50	1445	44.44	1010	26.67	964	31.25	636	22.22	1086	14.29	1273	25.00	850	0.00	1381	48.00	666	33.33	1198	40.00	1096	70.00	440	30.00	684	13	0	
0810710062	60	27.91	1442	33.33	1283	12.50	1445	22.22	1416	20.00	1167	25.00	847	0.00	1465	7.14	1411	50.00	130	11.11	1111	40.00	1026	26.67	1344	55.00	472	30.00	1287	30.00	684	0	0	
0810710063	84	29.77	1413	13.33	1476	43.75	523	33.33	1274	20.00	1167	6.25	1286	22.22	1086	14.29	1273	25.00	850	1380	20.00	1425	40.00	1096	90.00	73	70.00	20	0	0	0			
0810710064	85	39.53	991	33.33	1283	31.25	1021	33.33	1274	46.67	342	37.50	451	44.44	424	35.71	415	75.00	3	22.22	647	32.00	1296	33.33	1198	35.00	1231	100.00	1	40.00	376	0	0	
0810710065	79	36.74	1161	40.00	1044	25.00	1211	55.56	677	53.33	201	18.75	1034	11.11	1354	14.29	1273	25.00	850	22.22	647	32.00	1296	46.67	666	50.00	678	60.00	656	40.00	376	0	0	
0810710066	79	36.74	1161	40.00	1044	37.50	757	61.11	480	26.67	964	43.75	302	40.44	424	21.43	1007	25.00	850	22.22	647	24.00	1423	46.67	666	50.00	678	30.00	1287	20.00	1043	0	0	
0810720002	101	46.98	483	40.00	1044	25.00	1211	72.22	185	33.33	782	50.00	180	66.67	59	42.86	255	37.50	402	22.22	647	72.00	24	26.67	1344	45.00	890	70.00	440	40.00	376	1	0	
0810720003	77	35.81	1213	43.33	889	6.25	1476	27.78	1351	46.67	342	18.75	1034	33.33	740	35.71	708	37.50	1287	44.44	74	56.00	345	40.00	980	35.00	1231	40.00	1132	40.00	376	0	0	
0810720004	108	50.23	288	46.67	697	43.75	523	61.11	480	53.33	201	37.50	451	44.44	424	42.86	255	25.00	850	11.11	1111	64.00	107	46.67	666	75.00	19	80.00	206	30.00	684	0	0	
0810720005	106	49.30	339	43.33	889	43.75	523	66.67	306	60.00	114	12.50	1188	66.67	59	35.71	415	12.50	1287	22.22	647	32.00	1188	66.67	345	65.00	131	80.00	206	50.00	191	0	0	
0810720006	83	38.69	1054	23.33	1443	25.00	1211	61.11	480	20.00	1167	50.00	180	44.44	424	21.43	1007	50.00	130	33.33	286	36.00	1163	66.67	74	55.00	472	20.00	1394	40.00	376	0	1	
0810720007	79	36.74	1161	40.00	1044	25.00	1211	38.89	1165	26.67	964	31.25	636	11.11	1354	35.71	415	25.00	402	22.22	647	32.00	1296	46.67	666	50.00	678	60.00	656	40.00	376	0	0	
0810720008	77	35.81	1213	36.67	1184	25.00	1211	27.78	1351	40.00	556	25.00	847	55.56	188	28.57	708	37.50	402	22.22	647	44.00	850	46.67	666	30.00	1333	60.00	656	30.00	684	0	0	
0810720009	91	42.33	806	56.67	185	18.75	1351	55.56	677	26.67	964	25.00	847	44.44	424	7.14	1411	37.50	402	33.33	286	56.00	345	66.67	74	50.00	678	30.00	1287	50.00	191	0	0	
0810720010	70	32.56	1339	33.33	1283	12.50	1446	44.44	1010	40.00	556	31.25	636	22.22	1086	14.29	1273	12.50	1287	22.22	647	48.00	666	26.67	1344	40.00	1096	40.00	1132	40.00	376	0	0	
0810720011	100	46.51	523	63.33	45	37.50	757	55.56	677	26.67	964	50.00	180	33.33	740	50.00	111	62.50	38	44.44	74	40.00	1025	53.33	392	45.00	890	40.00	1132	40.00	684	0	0	
0810720012	118	54.88	889	58.25	288	37.50	322	50.00	862	53.33	201	68.75	20	77.78	8	14.29	1273	37.50	402	33.33	286	60.00	222	53.33	392	60.00	263	60.00	656	40.00	376	0	0	
0810720013	102	47.44	451	50.00	509	37.50	757	55.56	677	60.00	114	37.50	451	55.56	188	28.57	708	25.00	850	44.44	74	52.00	486	53.33	392	45.00	890	70.00	440	40.00	376	0	0	
0810720014	93	43.26	750	33.33	1283	25.00	1211	61.11	480	44.44	333	782	56.25	93	44.44	424	64.29	19	12.50	1287	33.33	286	52.00	486	40.00	980	45.00	890	70.00	440	40.00	1043	0	0
0810720015	90	41.98	840	43.33	889	37.50	757	44.44	1010	40.00	556	37.50	451	44.44	424	14.29	1273	25.00	850	33.33	286	52.00	486	40.00	980	55.00	472	60.00	656	40.00	376	0	0	
0810720016	69	32.09	1356	23.33	1443	37.50	757	50.00	862	33.33	782	18.75	1034	0.00	1465	28.57	708	33.33	130	11.11	1111	20.00	1453	20.00	1425	65.00	131	40.00	1132	20.00	1043	0	0	
0810720017	80	41.98	840	36.67	1184	37.50	757	50.00	862	20.00	1167	31.25	636	22.22	1086	21.43	1007	50.00	130	33.33	286	48.00	666	33.33	392	40.00	63	70.00	440	30.00	684	0	0	
0810720018	85	39.53	991	46.67	697	25.00	1211	33.33	1274	40.00	556	37.50	451	33.33	740	28.57	708	25.00	850	22.22	647	48.00	666	26.67	1344	50.00	678	80.00	206	40.00	376	2	0	
0810720019	110	51.16	244	63.33	45	50.00	322	55.56	677	33.33	782	50.00	180	66.67	59	42.86	255	37.50	402	22.22	647	56.00	345	53.33	392	50.00	678	80.00	206	30.00	684	0	0	
0810720020	109	49.77	312	56.67	185	37.50	757	55.56	677	53.33	201	37.50	451	77.78	8	14.29	1273	37.50	402	33.33	286	60.00	222	53.33	392	60.00	263	60.00	656	40.00	376	0	0	
0810720021	77	35.81	1213	46.67	697	31.25	1021	38.89	1165	20.00	1167	25.00	847	33.33	740	7.14	1411	25.00	850	44.44	74	36.00	1163	26.67	1344	65.00	131	50.00	131	50.00	191	0	0	
0810720022	78	36.28	1183	40.00	1044	25.00	1211	50.00	862	40.00	556	12.50	1188	44.44	424	21.43	1007	37.50	402	11.11	1111	44.00	850	33.33	1198	50.00	678	60.00	656	20.00	1043	0	0	
0810720023	85	39.53	991	46.67	697	18.75	1351	66.67	306	46.67	342	31.25	636	4																				



**DILIMAN ACCESS COLLEGE ENTRANCE TEST REVIEW 2008 - POST-SIMULATION EXAM RESULTS**  
(Notes: Reviewees were given Student Numbers since their first day for their identification on exams and results)

IDEAL PASSING RATE: 55%. Determining Percentages (ideal for post-simulation results):  
55% and up - you have a very good chance of passing any school especially UP and Ateneo;  
40-55% you are on the pass line, could not pass DOE LA SALLE and IST but challenge yourself more;  
below 35% concentrate on your strengths and hone them especially if you are scheduled to take an exam in less than a month.

For the parents: The reviewees were given a gradesheet (given on their last day) that comprises their pretest results, check up tests and tentative scoring for this exam. If the tentative score doesn't correspond with this final post simulation score, it would be due to a number of factors, such as double answers, the student's shading errors and blank answers. Their answer sheets were machine scanned to simulate the testing process itself.

**Note: Students from Sacred Heart Academy of Pasig Student ID Numbers has been changed from 0810200XX to 08101400XX**

ID Number	Overall		Language Proficiency		General Science		Biology		Chemistry		Physics		Basic Mathematics		Algebra		Geometry		Trigonometry		Reading Comprehension		General Information		Abstract Reasoning		Numerical Ability		Logical Reasoning		Blank Answers	Double Answers		
	RS	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank			%	
0810730025	69	32.09	1356	36.67	1184	43.75	523	33.33	1274	26.67	964	18.75	1034	22.22	1086	21.43	1007	12.50	1267	11.11	1111	44.00	850	33.33	1198	45.00	890	50.00	915	10.00	1273	0	0	
0810730026	106	49.30	339	46.67	697	43.75	523	66.67	306	60.00	114	0.00	1354	66.67	59	35.71	455	37.50	402	33.33	286	56.00	345	53.33	392	50.00	678	50.00	73	60.00	79	16	0	
0810730029	91	42.33	906	40.00	1044	31.25	1021	55.56	677	26.67	964	12.50	1188	55.56	188	28.57	708	75.00	3	44.44	74	60.00	222	60.00	189	65.00	131	10.00	1450	10.00	1273	0	0	
0810730030	89	41.40	877	40.00	1044	56.25	170	44.44	1010	20.00	1167	0.00	1354	33.33	740	35.71	455	50.00	130	44.44	74	48.00	666	66.67	74	60.00	263	20.00	1394	50.00	191	25	0	
0810730031	67	31.16	1381	33.33	1263	43.75	523	22.22	1416	20.00	1167	37.50	451	33.33	740	28.57	708	37.50	402	11.11	1111	32.00	1296	33.33	1198	35.00	1231	40.00	1132	20.00	1043	7	0	
0810730032	92	42.79	781	46.67	697	18.75	1351	72.22	185	40.00	556	37.50	50	33.33	740	35.71	455	50.00	130	33.33	286	52.00	486	33.33	1198	50.00	678	45.00	656	10.00	1273	0	0	
0810730033	103	47.91	412	46.67	697	43.75	523	50.00	862	53.33	201	62.50	46	33.33	740	28.57	708	50.00	130	44.44	74	44.00	850	40.00	980	75.00	19	60.00	656	20.00	1043	0	0	
0810730034	89	46.05	554	43.33	889	37.50	757	61.11	480	20.00	267	964	50.00	180	33.33	740	21.43	1007	25.00	850	44.44	74	64.00	107	60.00	189	40.00	1096	70.00	440	50.00	191	0	0
0810730035	102	47.44	451	23.33	1443	75.00	24	83.33	39	26.67	964	50.00	180	44.44	424	28.57	708	37.50	402	44.44	74	56.00	345	46.67	666	55.00	472	60.00	656	30.00	684	0	0	
0810730036	105	48.84	363	50.00	509	50.00	322	66.67	306	40.00	556	50.00	180	33.33	740	35.71	455	37.50	402	44.44	74	52.00	486	46.67	666	60.00	263	60.00	656	30.00	684	0	0	
0810730037	123	57.21	89	46.67	697	62.50	91	66.67	306	80.00	114	62.50	46	44.44	424	35.71	455	50.00	130	44.44	74	56.00	345	40.00	980	70.00	63	80.00	206	50.00	191	0	0	
0810730038	103	47.91	412	46.67	697	50.00	322	61.11	480	46.67	342	43.75	302	33.33	740	50.00	111	75.00	3	44.44	74	32.00	1296	46.67	666	55.00	472	60.00	206	20.00	1043	0	0	
0810730039	129	60.00	36	50.00	509	62.50	91	66.67	306	53.33	201	62.50	46	55.56	188	64.29	19	50.00	130	33.33	286	60.00	222	60.00	189	85.00	1	80.00	206	40.00	376	0	0	
0810730040	83	38.60	1054	46.67	697	37.50	757	33.33	1274	40.00	556	50.00	180	22.22	1086	7.14	1411	25.00	850	33.33	286	48.00	666	46.67	666	35.00	1231	60.00	656	30.00	684	0	0	
0810730041	78	36.28	1183	33.33	1263	18.75	1351	61.11	480	13.33	1841	31.25	636	33.33	740	28.57	708	62.50	38	55.56	23	36.00	1163	26.67	1344	45.00	890	30.00	1287	50.00	191	1	0	
0810730042	125	53.40	166	36.67	1184	50.00	322	83.33	39	46.67	342	25.00	302	77.78	59	84.29	19	33.33	286	56.00	345	33.33	1198	55.00	472	100.00	1	40.00	376	0	0			
0810730043	89	40.00	963	53.33	341	43.75	523	38.89	1165	26.67	964	18.75	302	11.11	1354	35.71	455	25.00	850	33.33	286	36.00	1163	46.67	666	50.00	678	50.00	915	30.00	684	3	0	
0810730044	105	48.84	363	46.67	697	37.50	757	61.11	480	20.00	1167	25.00	847	33.33	740	57.14	50	50.00	130	11.11	1111	64.00	107	66.67	74	65.00	131	90.00	73	30.00	684	1	0	
0810730045	102	47.44	451	53.33	341	50.00	322	5.56	1480	40.00	556	37.50	451	66.67	59	35.71	455	37.50	402	22.22	647	56.00	345	60.00	189	55.00	472	90.00	73	60.00	79	1	0	
0810730046	111	51.63	223	63.33	341	37.50	757	72.22	185	46.67	342	56.25	46	33.33	424	35.71	455	50.00	130	22.22	647	84.00	2	46.67	666	45.00	890	60.00	656	30.00	684	14	0	
0810730047	106	49.30	339	43.33	889	43.75	523	72.22	185	40.00	556	25.00	847	33.33	740	35.71	455	62.50	38	66.67	6	48.00	666	46.67	666	55.00	472	70.00	440	70.00	20	11	0	
0810730048	117	54.42	143	40.00	1044	62.50	91	66.67	306	40.00	556	50.00	180	66.67	59	64.29	19	37.50	402	33.33	286	56.00	345	60.00	189	55.00	472	100.00	1	40.00	376	6	0	
0810730049	102	47.44	451	56.67	185	31.25	1021	88.89	14	46.67	342	0.00	1354	77.78	8	28.57	708	25.00	850	22.22	647	56.00	345	53.33	392	50.00	678	100.00	1	0.00	1416	36	1	
0810730050	84	39.07	1019	60.00	106	31.25	1021	61.11	480	40.00	556	12.50	1188	55.56	188	14.29	1273	12.50	1267	22.22	647	48.00	666	46.67	666	25.00	1410	50.00	915	30.00	684	23	0	
0810730051	78	36.28	1183	33.33	1263	18.75	1351	61.11	480	13.33	1841	31.25	636	33.33	740	28.57	708	62.50	38	55.56	23	36.00	1163	26.67	1344	45.00	890	30.00	1287	50.00	191	1	0	
0810730052	89	41.40	877	40.00	1044	31.25	1021	66.67	306	40.00	556	50.00	180	44.44	424	28.57	708	25.00	850	22.22	647	56.00	345	20.00	1425	40.00	1096	50.00	915	40.00	376	6	0	
0810730053	103	47.91	412	46.67	697	37.50	757	44.44	1010	53.33	201	37.50	451	55.56	188	42.86	255	37.50	402	44.44	74	52.00	486	60.00	189	55.00	472	80.00	206	20.00	1043	0	0	
0810730054	82	38.14	1078	46.67	697	56.25	170	44.44	1010	26.67	964	0.00	1354	44.44	424	21.43	1007	12.50	1267	0.00	1381	44.00	850	40.00	980	70.00	63	70.00	440	10.00	1273	30	0	
0810730055	82	38.14	1078	36.67	1184	31.25	1021	44.44	1010	26.67	964	31.25	50	33.33	740	28.57	708	12.50	1267	33.33	286	52.00	486	40.00	980	55.00	472	50.00	915	20.00	1043	3	0	
0810730056	105	48.84	363	40.00	1044	37.50	757	55.56	677	46.67	342	25.00	636	33.33	740	57.14	50	37.50	402	33.33	286	64.00	847	107	33.33	1198	55.00	472	70.00	440	37.6	0	0	
0810730057	128	59.33	39	50.00	509	56.25	170	77.78	94	53.33	201	18.75	1034	88.89	2	42.86	255	75.00	3	66.67	6	68.00	49	40.00	980	85.00	1	80.00	206	50.00	191	1	0	
0810730058	107	49.77	312	56.67	185	68.75	38	72.22	185	46.67	342	25.00	847	33.33	740	21.43	1007	25.00	850	33.33	286	64.00	107	60.00	189	50.00	678	40.00	1132	50.00	191	3	0	
0810730059	119	55.35	117	63.33	45	56.25	170	66.67	306	40.00	556	0.00	1354	77.78	8	50.00	111	37.50	402	44.44	74	68.00	49	53.33	392	65.00	131	100.00	1	40.00	376	26	0	
0810730060	77	35.81	1213	43.33	889	25.00	1211	33.33	1274	40.00	556	43.75	302	33.33	740	35.71	455	37.50	402	11.11	1111	1163	33.33	1198	35.00	1231	60.00	915	40.00	376	6	0		
0810730061	62	28.84	1429	40.00	1044	12.50	1445	27.78	1365	20.00	1167	31.25	636	0.00	1465	28.57	708	0.00	1446	52.22	647	66.00	1163	13.33	1464	50.00	678	40.00	1132	40.00	376	1	0	
0810730062	93	43.26	750	60.00	106	31.25	1021	66.67	306	33.33	782	12.50	1188	55.56	188	35.71	455	50.00	130	33.33	286	40.00	1025	33.33	1198	65.00	131	50.00	915	10.00	1273	0	0	
0810730063	110	51.16	244	46.67	697	56.25	170	72.22	185	40.00	556	12.50	1188	55.56	188	50.00	111	25.00	850	22.22	647	64.00	107	53.33	392	60.00	263	90.00	73	50				



DILIMAN ACCESS COLLEGE ENTRANCE TEST REVIEW 2008 - POST-SIMULATION EXAM RESULTS

(Note: Reviewees were given Student Numbers since their first day for their identification on exams and results)

(IDEAL PASSING RATE: 55%. Determining Percentages (ideal for post-simulation results) :

- 55% and up - you have a very good chance of passing any school especially UP and Ateneo;
40-50% you are on the pass line, you could pass DOE (based on LA, SALES and IST) but challenge yourself more;
below 35% concentrate on your strengths and hone them especially if you are scheduled to take an exam in less than a month.

For the parents: The reviewees were given a gradesheet (given on their last day) that comprises their pretest results, check up tests and tentative scoring for this exam. If the tentative score doesn't correspond with this final post simulation score, it would be due to a number of factors, such as double answers, the student's shading errors and blank answers. Their answer sheets were machine scanned to simulate the testing process itself.

Note: Students from Sacred Heart Academy of Pasig Student ID Numbers has been changed from 08101200XX to 08101400XX

Table with columns: ID Number, Overall, Language Proficiency, General Science, Biology, Chemistry, Physics, Basic Mathematics, Algebra, Geometry, Trigonometry, Reading Comprehension, General Information, Abstract Reasoning, Numerical Ability, Logical Reasoning, Blank Answers, Double Answers. Each column contains percentage and rank data for 1000 students.



DILIMAN ACCESS COLLEGE ENTRANCE TEST REVIEW 2008 - POST-SIMULATION EXAM RESULTS

(Note: Reviewees were given Student Numbers since their first day for their identification on exams and results)

IDEAL PASSING RATE: 55% - Determining Percentages (ideal for post-simulation results):

- 55% and up - you have a very good chance of passing any school especially UP and Ateneo;
40-50% you are an excellent student, could pass DOE LA SALLE and LST but challenge yourself more;
below 35% concentrate on your strengths and hone them especially if you are scheduled to take an exam in less than a month.

For the parents: The reviewees were given a gradesheet (given on their last day) that comprises their pretest results, check up tests and tentative scoring for this exam. If the tentative score doesn't correspond with this final post simulation score, it would be due to a number of factors, such as double answers, the student's shading errors and blank answers. Their answer sheets were machine scanned to simulate the testing process itself.

Note: Students from Sacred Heart Academy of Pasig Student ID Numbers has been changed from 0810200XX to 08101400XX

Table with columns: ID Number, Overall, Language Proficiency, General Science, Biology, Chemistry, Physics, Basic Mathematics, Algebra, Geometry, Trigonometry, Reading Comprehension, General Information, Abstract Reasoning, Numerical Ability, Logical Reasoning, Blank Answers, Double Answers. Each column contains percentage and rank data for 1000 students.



DILIMAN ACCESS COLLEGE ENTRANCE TEST REVIEW 2008 - POST-SIMULATION EXAM RESULTS  
(Note: Reviewees were given Student Numbers since their first day for their identification on exams results)

IDEAL PASSING RATE: 55%. Determining Percentages (ideal for post-simulation results):

55% and up - you have a very good chance of passing any school especially UP and Ateneo;  
40-55% you are an excellent candidate based on past students' scores on the CALLE and IST but challenge yourself more;  
below 35% concentrate on your strengths and hone them especially if you are scheduled to take an exam in less than a month.

For the parents: The reviewees were given a gradesheet (given on their last day) that comprises their pretest results, check up tests and tentative scoring for this exam. If the tentative score doesn't correspond with this final post simulation score, it would be due to a number of factors, such as double answers, the student's shading errors and blank answers. Their answer sheets were machine scanned to simulate the testing process itself.

Note: Students from Sacred Heart Academy of Pasig Student ID Numbers has been changed from 0810200XX to 08101400XX

Table with columns: ID Number, Overall, Language Proficiency, General Science, Biology, Chemistry, Physics, Basic Mathematics, Algebra, Geometry, Trigonometry, Reading Comprehension, General Information, Abstract Reasoning, Numerical Ability, Logical Reasoning, Blank Answers, Double Answers. Each column contains percentage and rank data for 1000 students.



DILIMAN ACCESS COLLEGE ENTRANCE TEST REVIEW 2008 - POST-SIMULATION EXAM RESULTS  
(Note: Reviewees were given Student Numbers since their first day for their identification on exams results)

(IDEAL PASSING RATE: 55%. Determining Percentages (ideal for post-simulation results) :

- 55% and up - you have a very good chance of passing any school especially UP and Ateneo;
- 40-50% you are an excellent student, could pass DOE (SALOME and IST) but challenge yourself more;
- below 35% concentrate on your strengths and hone them especially if you are scheduled to take an exam in less than a month .

For the parents: The reviewees were given a gradesheet (given on their last day) that compares their pretest results, check up tests and tentative scoring for this exam. If the tentative score doesn't correspond with this final post simulation score, it would be due to a number of factors, such as double answers, the student's shading errors and blank answers. Their answer sheets were machine scanned to simulate the testing process itself.

Note: Students from Sacred Heart Academy of Pasig Student ID Numbers has been changed from 0810200XX to 08101400XX

ID Number	Overall		Language Proficiency		General Science		Biology		Chemistry		Physics		Basic Mathematics		Algebra		Geometry		Trigonometry		Reading Comprehension		General Information		Abstract Reasoning		Numerical Ability		Logical Reasoning		Blank Answers	Double Answers		
	RS	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%					
0820410007	79	36.74	1161	46.67	697	43.75	523	50.00	862	40.00	556	25.00	847	11.11	1354	21.43	1007	25.00	850	0.00	1381	44.00	850	46.67	666	40.00	1096	40.00	1132	30.00	684	1	0	
0820410008	115	50.49	186	50.00	509	37.50	170	72.22	185	66.67	62	43.75	302	22.22	1086	35.71	457	37.50	402	66.67	6	48.00	686	53.33	392	65.00	131	50.00	73	30.00	684	0	0	
0820410009	88	40.93	913	36.67	1184	37.50	757	61.11	480	53.33	201	25.00	847	33.33	740	21.43	1007	37.50	402	33.33	286	64.00	850	66.67	74	40.00	1096	20.00	1394	50.00	191	32	0	
0820410010	73	33.96	1290	46.67	697	31.25	1021	61.11	480	6.67	1431	18.75	1034	11.11	1354	21.43	1007	25.00	850	11.11	1111	48.00	666	46.67	666	25.00	1410	40.00	1132	40.00	376	3	0	
0820410011	102	47.44	451	63.33	45	31.25	1021	55.56	677	40.00	556	43.75	302	55.56	186	21.43	1007	50.00	130	33.33	286	60.00	302	46.67	686	50.00	678	40.00	1132	40.00	376	0	0	
0820410013	93	43.26	750	53.33	341	50.00	322	44.44	1010	20.00	1167	18.75	1034	44.44	424	42.86	255	25.00	130	33.33	286	40.00	1025	46.67	666	55.00	472	80.00	206	20.00	1043	2	0	
0820410015	97	45.12	610	40.00	1044	43.75	523	55.56	677	46.67	342	12.50	1188	33.33	740	42.86	255	25.00	850	22.22	647	64.00	107	66.67	74	40.00	1096	70.00	440	50.00	191	11	0	
0820410017	87	40.47	933	33.33	1283	56.25	170	55.56	677	40.00	556	37.50	451	22.22	1086	21.43	1007	12.50	1267	22.22	647	24.00	1423	53.33	392	60.00	263	90.00	73	30.00	684	0	4	
0820410018	116	53.95	156	56.67	185	50.00	322	66.67	306	46.67	342	43.75	302	66.67	59	42.86	255	25.00	850	33.33	286	60.00	222	60.00	189	75.00	19	60.00	656	30.00	684	0	0	
0820410019	88	40.93	913	40.00	1044	37.50	757	50.00	862	46.67	342	37.50	451	44.44	424	28.57	708	50.00	130	0.00	1381	56.00	345	53.33	392	45.00	890	40.00	1132	10.00	1273	14	0	
0820410020	108	50.23	288	53.33	341	68.75	38	61.11	480	40.00	556	43.75	302	33.33	740	28.57	708	25.00	1267	22.22	647	28.00	222	60.00	189	70.00	63	70.00	440	10.00	1273	0	0	
0820410021	86	40.00	963	33.33	1283	25.00	1211	44.44	1010	33.33	782	37.50	451	55.56	188	21.43	1007	37.50	402	22.22	647	48.00	666	60.00	189	60.00	263	60.00	189	60.00	1273	0	0	
0820410022	124	57.67	65	56.67	185	50.00	322	77.78	34	46.67	342	25.00	847	55.56	188	35.71	455	37.50	402	22.22	647	68.00	49	80.00	4	70.00	63	100.00	1	60.00	79	1	1	
0820410023	34	15.81	1482	60.00	106	50.00	322	44.44	1010	0.00	1458	0.00	1354	0.00	1465	0.00	1470	0.00	1446	0.00	1381	0.00	1482	0.00	1481	0.00	1480	0.00	1475	0.00	1416	0	0	
0820410024	93	43.26	750	43.33	889	37.50	757	50.00	862	26.67	964	25.00	847	55.56	188	35.71	455	37.50	402	11.11	1111	52.00	486	60.00	189	50.00	678	70.00	440	40.00	376	15	0	
0820410025	87	40.47	933	50.00	509	37.50	757	38.89	1165	53.33	201	25.00	847	44.44	424	14.29	1273	50.00	130	22.22	647	48.00	666	46.67	666	35.00	1231	60.00	656	684	0	0		
0820410026	109	50.70	266	56.67	185	56.25	170	61.11	480	60.00	114	31.25	636	55.56	188	42.86	255	25.00	850	22.22	647	52.00	486	40.00	980	70.00	63	70.00	440	60.00	684	0	0	
0820410028	78	36.28	1183	43.33	889	31.25	1021	55.56	677	13.33	1341	0.00	1354	44.44	424	50.00	111	37.50	402	22.22	647	44.00	850	60.00	189	25.00	1410	70.00	440	0.00	1416	46	0	
0820410029	101	46.98	483	46.67	697	37.50	757	66.67	306	26.67	964	43.75	302	33.33	740	28.57	708	37.50	402	11.11	1111	52.00	486	60.00	189	55.00	472	100.00	1	40.00	376	4	1	
0820410031	91	42.33	806	40.00	1044	43.75	523	66.67	306	26.67	964	12.50	1188	66.67	59	7.14	1411	25.00	850	11.11	1111	52.00	486	60.00	189	50.00	678	70.00	440	50.00	191	0	0	
0820410032	83	38.60	1054	40.00	1044	43.75	523	50.00	862	26.67	964	12.50	1188	22.22	1086	35.71	455	25.00	850	33.33	286	40.00	1025	40.00	980	60.00	263	50.00	915	40.00	376	12	0	
0820410033	80	37.21	1135	50.00	509	37.50	757	50.00	862	46.67	342	12.50	1188	33.33	740	28.57	708	25.00	850	11.11	1111	32.00	1296	46.67	666	55.00	472	50.00	915	40.00	1416	20	0	
0820410034	110	51.16	244	56.67	185	43.75	523	61.11	480	40.00	556	43.75	302	66.67	59	35.71	455	37.50	402	33.33	286	60.00	222	60.00	189	60.00	263	60.00	656	30.00	684	0	0	
0820410035	97	45.12	610	50.00	509	37.50	757	66.67	306	26.67	964	43.75	302	22.22	1086	21.43	1007	50.00	130	11.11	1111	64.00	107	46.67	666	65.00	131	50.00	915	20.00	1043	0	0	
0820410036	77	35.81	1213	33.33	1044	37.50	757	44.44	1010	13.33	1341	0.00	1354	33.33	740	21.43	111	25.00	850	22.22	647	36.00	1025	40.00	980	60.00	1096	40.00	1132	40.00	376	28	0	
0820410037	100	46.51	823	53.33	341	50.00	322	61.11	480	20.00	1167	43.75	302	22.22	1086	42.86	255	25.00	850	22.22	647	56.00	345	46.67	666	60.00	263	50.00	915	50.00	191	2	0	
0820410038	88	40.93	913	43.33	889	43.75	523	61.11	480	33.33	782	12.50	1188	55.56	188	28.57	708	25.00	850	11.11	1111	60.00	222	53.33	392	35.00	1231	40.00	1132	40.00	376	3	0	
0820410039	83	38.60	1054	40.00	1044	43.75	523	61.11	480	20.00	556	6.25	1296	44.44	424	28.57	708	25.00	850	11.11	1111	60.00	222	40.00	980	35.00	1231	50.00	915	20.00	1043	13	0	
0820410040	108	47.44	451	53.33	341	43.75	523	66.67	306	40.00	556	50.00	180	33.33	740	14.29	1273	62.50	38	44.44	74	56.00	345	46.67	666	45.00	440	20.00	1096	40.00	1043	0	0	
0820410043	85	39.53	911	43.33	889	31.25	1021	50.00	862	26.67	964	12.50	1188	55.56	188	35.71	455	37.50	402	0.00	1381	44.00	850	33.33	1198	40.00	1026	30.00	678	60.00	684	0	0	
0820410044	114	53.02	184	53.33	341	62.50	170	83.33	39	53.33	201	25.00	847	66.67	59	64.29	19	25.00	850	11.11	1111	52.00	486	40.00	980	65.00	131	70.00	440	50.00	191	0	0	
0820410045	92	42.79	781	53.33	341	62.50	91	61.11	480	40.00	556	31.25	636	33.33	740	28.57	708	0.00	1446	33.33	286	52.00	486	33.33	1198	35.00	1231	40.00	1132	50.00	191	0	0	
0820410050	77	35.81	1324	46.67	697	12.50	1445	33.33	1274	26.67	964	37.50	451	44.44	424	42.86	255	25.00	850	22.22	647	36.00	1163	13.33	1464	35.00	1231	50.00	915	20.00	1043	0	0	
0820410051	87	40.47	933	60.00	106	50.00	757	60.00	862	26.67	964	18.75	1034	22.22	1086	21.43	1007	25.00	850	11.11	1111	64.00	345	46.67	666	35.00	1231	70.00	440	40.00	376	2	0	
0820410053	84	39.07	1019	50.00	509	37.50	757	55.56	677	20.00	1167	18.75	1034	22.22	1086	28.57	708	37.50	402	33.33	286	40.00	1025	66.67	74	50.00	678	50.00	915	0.00	1416	0	0	
0820410054	91	42.33	806	46.67	697	31.25	1021	44.44	1010	40.00	556	43.75	302	44.44	424	21.43	1007	75.00	0	3	44.44	74	32.00	1296	60.00	189	55.00	472	60.00	656	0.00	1416	0	0
0820410055	111	51.63	223	40.00	1044	62.50	91	55.56	677	60.00	114	50.00	180	55.56	188	28.57	708	37.50	402	33.33	286	4												



DILIMAN ACCESS COLLEGE ENTRANCE TEST REVIEW 2008 - POST-SIMULATION EXAM RESULTS  
(Note: Reviewees were given Student Numbers since their first day for their identification on exams and results)

IDEAL PASSING RATE: 55%. Determining Percentages (ideal for post-simulation results):

- 55% and up - you have a very good chance of passing any school especially UP and Ateneo;
- 40-50% you are an excellent student, could pass DOE LA, SALES and IST but challenge yourself more;
- below 35% concentrate on your strengths and hone them especially if you are scheduled to take an exam in less than a month.

For the parents: The reviewees were given a gradesheet (given on their last day) that comprises their pretest results, check up tests and tentative scoring for this exam. If the tentative score doesn't correspond with this final post simulation score, it would be due to a number of factors, such as double answers, the student's shading errors or blank answers. Their answer sheets were machine scanned to simulate the testing process itself.

Note: Students from Sacred Heart Academy of Pasig Student ID Numbers has been changed from 0810200XX to 08101400XX

ID Number	Overall		Language Proficiency		General Science		Biology		Chemistry		Physics		Basic Mathematics		Algebra		Geometry		Trigonometry		Reading Comprehension		General Information		Abstract Reasoning		Numerical Ability		Logical Reasoning		Blank Answers	Double Answers	
	RS	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank			%
0820202008	124	57.67	65	56.67	185	62.50	91	44.44	1010	53.33	201	50.00	180	44.44	424	64.29	19	75.00	3	44.44	74	48.00	666	66.67	74	75.00	19	90.00	73	40.00	376	0	0
0820202009	74	34.42	1275	43.33	889	18.75	1351	50.00	862	13.33	1941	12.50	1188	22.22	1086	28.57	708	12.50	1267	22.22	647	44.00	850	46.67	666	45.00	890	50.00	915	40.00	376	3	0
0820202032	135	62.79	17	53.33	341	68.75	38	72.22	185	66.67	63	81.25	2	66.67	59	42.86	650	22.22	647	72.00	24	73.33	20	60.00	263	100.00	21	50.00	191	5	0		
0820202033	114	53.02	184	43.33	889	43.75	523	83.33	39	46.67	342	37.50	451	44.44	424	28.57	708	12.50	1267	44.44	74	56.00	345	60.00	189	75.00	19	90.00	206	70.00	20	2	0
0820202036	107	49.77	312	53.33	341	56.25	170	55.56	677	40.00	556	37.50	451	66.67	59	35.71	455	62.50	402	11.11	1111	52.00	486	66.67	74	35.00	1231	100.00	1	50.00	191	1	0
0820202037	117	54.42	143	56.67	185	56.25	170	77.78	94	40.00	556	25.00	847	44.44	424	42.86	255	62.50	38	33.33	286	48.00	666	53.33	392	80.00	5	90.00	73	40.00	376	17	0
0820202038	95	44.19	686	56.67	185	50.00	322	44.44	1010	25.67	964	31.25	636	66.67	65	21.43	1007	25.00	1446	11.11	1111	72.00	24	53.33	392	40.00	1096	60.00	666	30.00	684	0	0
0820202039	105	48.84	953	50.00	509	56.25	170	38.89	1165	40.00	556	37.50	451	33.33	740	28.57	708	25.00	850	22.22	647	75.00	10	46.67	666	65.00	131	80.00	206	40.00	376	0	0
0820202040	92	42.79	781	46.67	697	43.75	523	61.11	480	40.00	556	25.00	847	44.44	424	28.57	708	50.00	130	11.11	1111	28.00	1380	60.00	189	70.00	63	30.00	1287	40.00	376	0	0
0820202042	75	34.88	1253	36.87	1184	43.75	523	50.00	862	26.67	964	31.25	636	11.11	1354	14.29	1273	12.50	1267	22.22	647	48.00	666	53.33	392	50.00	678	10.00	1450	20.00	1043	0	0
0820202043	99	46.05	554	53.33	1263	62.50	91	66.67	306	33.33	782	18.75	1034	22.22	1086	21.43	1007	37.50	402	22.22	647	64.00	107	66.67	74	60.00	263	80.00	206	30.00	684	3	0
0820202044	108	50.23	288	53.33	341	31.25	1021	66.67	306	46.67	342	50.00	847	55.56	188	42.86	255	62.50	130	11.11	1111	48.00	666	66.67	74	60.00	263	80.00	206	20.00	1043	2	0
0820202045	89	41.40	877	46.67	697	43.75	523	66.67	306	20.00	1167	25.00	1034	33.33	740	42.86	255	50.00	130	22.22	647	44.00	850	20.00	1425	60.00	263	60.00	656	60.00	79	15	0
0820202046	78	36.28	1183	46.67	697	31.25	1021	44.44	1010	26.67	964	25.00	847	11.11	1354	21.43	1007	25.00	850	22.22	647	44.00	850	46.67	666	40.00	1096	70.00	440	20.00	1043	0	0
0820202047	94	43.72	721	56.67	185	43.75	523	61.11	480	33.33	782	25.00	847	66.67	59	21.43	1007	25.00	850	33.33	286	36.00	1163	60.00	189	50.00	678	50.00	915	30.00	684	2	0
0820202048	101	46.98	483	46.67	697	37.50	523	72.22	185	40.00	556	31.25	636	33.33	740	28.57	708	37.50	402	33.33	286	56.00	345	66.67	74	65.00	131	40.00	1132	30.00	684	0	0
0820202049	105	48.84	963	46.67	697	29.00	1211	77.78	94	26.67	964	68.75	20	77.78	34	25.00	850	44.44	74	48.00	666	40.00	980	55.00	492	50.00	915	40.00	376	0	0		
0820202051	65	30.23	1406	36.67	1184	37.50	757	33.33	1274	20.00	1167	37.50	451	33.33	740	7.14	1411	37.50	402	33.33	286	28.00	1380	20.00	1425	30.00	1333	30.00	1287	40.00	376	2	0
0820202052	112	52.09	205	50.00	509	56.25	170	55.56	677	73.33	26	25.00	847	55.56	188	35.71	455	62.50	38	22.22	647	52.00	486	66.67	74	55.00	472	70.00	440	50.00	191	1	0
0820202053	122	56.74	82	56.67	185	62.50	91	38.89	1165	53.33	201	56.25	93	66.67	59	28.57	708	50.00	130	66.67	6	64.00	107	40.00	980	60.00	263	100.00	1	70.00	20	0	0
0820202054	99	46.05	554	53.33	341	25.00	1211	38.89	1165	46.67	342	50.00	636	22.22	1086	35.71	455	60.00	130	33.33	286	60.00	222	60.00	189	50.00	678	70.00	440	50.00	191	0	0
0820202055	73	33.95	1290	43.33	889	25.00	1211	38.89	1165	33.33	782	37.50	451	33.33	740	28.57	708	37.50	402	11.11	1111	36.00	1163	53.33	392	25.00	1410	10.00	1450	40.00	376	1	0
0820202056	104	48.37	390	56.67	185	31.25	1021	72.22	185	46.67	342	25.00	847	33.33	740	42.86	255	37.50	402	22.22	647	56.00	345	60.00	189	50.00	678	80.00	206	60.00	684	0	0
0820202057	75	34.88	1253	50.00	509	31.25	1021	44.44	1010	33.33	782	25.00	847	33.33	740	28.57	708	25.00	850	0.00	1381	32.00	1296	60.00	189	30.00	1333	40.00	1132	20.00	1043	0	0
0820202058	102	47.44	451	50.00	509	37.50	757	83.33	39	26.67	964	6.25	1296	33.33	740	35.71	455	37.50	402	22.22	647	60.00	222	60.00	189	60.00	263	80.00	206	40.00	376	6	0
0820202059	84	39.07	1413	33.33	1263	12.50	1445	22.22	1416	20.00	1167	25.00	847	43.33	740	21.43	1007	12.50	1267	22.22	647	48.00	850	53.33	392	45.00	890	40.00	1132	10.00	1273	0	0
0820202060	78	36.28	1183	33.33	1263	31.25	1021	44.44	1010	20.00	1167	25.00	847	22.22	1086	35.71	455	37.50	402	33.33	286	52.00	486	46.67	666	30.00	1333	50.00	915	40.00	376	0	1
0820202061	73	33.95	1290	20.00	1459	50.00	322	44.44	1010	40.00	556	31.25	636	55.56	188	14.29	1273	37.50	402	22.22	647	24.00	1423	46.67	666	40.00	1096	50.00	915	20.00	1043	0	0
0820202062	131	60.93	27	53.33	341	68.75	38	83.33	39	53.33	201	56.25	93	66.67	59	57.14	50	62.50	38	33.33	286	64.00	107	53.33	392	70.00	63	80.00	206	40.00	376	1	0
0820202063	92	42.79	781	50.00	509	31.25	1021	61.11	480	53.33	201	0.00	1354	44.44	424	21.43	1007	37.50	402	33.33	286	48.00	666	46.67	666	50.00	678	70.00	440	40.00	376	4	0
0820202064	89	46.05	554	56.67	185	37.50	757	66.67	306	20.00	1167	0.00	1354	55.56	188	50.00	111	25.00	850	11.11	1111	60.00	850	46.67	666	20.00	263	80.00	206	0.00	1416	25	0
0820203001	91	42.33	806	43.33	889	37.50	757	66.67	306	20.00	1167	25.00	847	66.67	59	50.00	111	37.50	402	33.33	286	32.00	1296	46.67	666	50.00	678	60.00	656	60.00	684	0	0
0820203002	86	40.00	963	46.67	697	18.75	1351	66.67	306	53.33	201	31.25	636	22.22	1086	28.57	708	50.00	130	33.33	286	32.00	1296	46.67	666	45.00	890	10.00	1450	60.00	79	0	0
0820203003	96	44.65	647	50.00	509	50.00	322	44.44	1010	33.33	782	37.50	451	33.33	740	21.43	1007	12.50	1267	22.22	647	60.00	222	46.67	666	75.00	19	80.00	206	0.00	1416	1	0
0820203004	64	29.77	1413	33.33	1263	12.50	1445	22.22	1416	20.00	1167	25.00	847	43.33	740	28.57	708	50.00	130	22.22	647	48.00	850	46.67	666	80.00	666	80.00	1132	30.00	684	30	0
0820203005	74	34.42	1263	30.00	1306	31.25	1021	33.33	1274	40.00	556	25.00	847	11.11	1354	42.86	255	12.50	1267	11.11	1111	40.00	1025	53.33	392	40.00	1096	40.00	1132	50.00	191	1	1
0820203007	65	30.23	1406	36.67	1184	18.75	1351	38.89	1165	6.67	1431	12.50	1188	33.33	740	21.43	1007	37.50	402	22.22	647	40.00	1025	26.67	1344	35.00							



DILIMAN ACCESS COLLEGE ENTRANCE TEST REVIEW 2008 - POST-SIMULATION EXAM RESULTS  
(Note: Reviewees were given Student Numbers since their first day for their identification on exams and results)

IDEAL PASSING RATE: 55%. Determining Percentages (ideal for post-simulation results):

- 55% and up - you have a very good chance of passing any school especially UP and Ateneo;
- 40-50% you are an excellent student based on past students could pass DOE LA SALLE and IST but challenge yourself more;
- below 35% concentrate on your strengths and hone them especially if you are scheduled to take an exam in less than a month.

For the parents: The reviewees were given a gradesheet (given on their last day) that comprises their pretest results, check up tests and tentative scoring for this exam. If the tentative score doesn't correspond with this final post simulation score, it would be due to a number of factors, such as double answers, the student's shading errors and blank answers. Their answer sheets were machine scanned to simulate the testing process itself.

Note: Students from Sacred Heart Academy of Pasig Student ID Numbers has been changed from 0810200XX to 08101400XX

ID Number	Overall		Language Proficiency		General Science		Biology		Chemistry		Physics		Basic Mathematics		Algebra		Geometry		Trigonometry		Reading Comprehension		General Information		Abstract Reasoning		Numerical Ability		Logical Reasoning		Blank Answers	Double Answers			
	RS	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank			%		
082060015	96	44.19	686	33.33	1283	37.50	757	66.67	306	40.00	556	43.75	302	11.11	1354	14.29	1273	37.50	402	66.67	6	40.00	1025	73.33	20	55.00	472	80.00	206	20.00	1043	1	0		
082060016	85	40.00	963	46.67	697	37.50	757	50.00	862	33.33	782	31.25	636	22.22	1086	21.43	1007	37.50	402	22.22	647	48.00	666	53.33	392	35.00	1231	70.00	440	30.00	684	0	0		
082060017	120	55.81	106	46.67	697	37.50	91	72.22	185	60.00	114	43.75	302	66.67	39	28.57	708	25.00	850	33.33	286	64.00	107	60.00	189	70.00	63	80.00	206	50.00	191	0	0		
082060018	91	42.33	806	43.33	889	43.75	523	44.44	1010	40.00	556	31.25	636	22.22	1086	14.29	1273	50.00	130	11.11	1111	48.00	666	46.67	666	70.00	63	90.00	73	10.00	1273	0	0		
082060019	111	51.63	223	40.00	1044	56.25	170	66.67	306	26.67	964	62.50	46	66.67	59	50.00	111	37.50	402	66.67	402	33.33	286	64.00	107	46.67	666	65.00	131	70.00	440	20.00	1043	0	0
082060020	99	46.05	554	36.67	1184	50.00	322	38.89	1165	46.67	342	56.25	93	33.33	740	21.43	1007	75.00	3	55.56	23	48.00	666	53.33	392	60.00	263	60.00	666	20.00	1043	0	0		
082060021	94	43.72	721	46.67	697	37.50	523	55.56	677	33.33	782	31.25	636	44.44	424	35.71	455	25.00	850	6.00	1381	48.00	666	33.33	1198	50.00	678	100.00	1	30.00	684	0	0		
082060022	72	33.49	1302	40.00	1044	37.50	757	27.78	1365	46.67	342	31.25	636	11.11	1354	14.29	1273	12.50	1267	11.11	1111	44.00	850	53.33	392	35.00	1231	40.00	1132	20.00	1043	0	0		
082060023	80	37.21	1135	40.00	1044	25.00	1211	44.44	1010	40.00	556	37.50	451	33.33	740	42.86	255	25.00	850	33.33	286	48.00	666	40.00	980	35.00	1231	20.00	1394	30.00	684	0	0		
082060024	97	45.12	610	46.67	697	37.50	1021	50.00	862	40.00	556	25.00	847	44.44	424	35.71	455	62.50	38	44.44	74	52.00	486	46.67	666	45.00	890	80.00	206	40.00	376	0	0		
082060025	80	37.21	1135	43.33	889	37.50	757	44.44	1010	40.00	556	25.00	847	11.11	1354	7.14	1411	50.00	130	11.11	1111	52.00	486	53.33	392	25.00	1410	70.00	440	30.00	684	1	1		
082060026	123	57.21	99	56.67	185	50.00	322	94.44	3	60.00	114	56.25	93	44.44	424	50.00	111	45.00	38	44.44	74	48.00	666	46.67	666	60.00	263	60.00	666	60.00	73	0	0		
082060027	94	43.72	721	53.33	341	31.25	1021	55.56	677	53.33	201	15.00	636	33.33	740	42.86	255	62.50	38	22.22	647	40.00	1025	60.00	189	40.00	1096	50.00	915	20.00	1043	0	0		
082060028	61	28.37	1436	30.00	1366	18.75	1351	38.89	1165	0.00	1458	0.00	1354	22.22	1086	14.29	1273	37.50	402	22.22	647	40.00	1025	46.67	666	40.00	1096	50.00	915	30.00	684	30	0		
082060029	100	46.51	523	53.33	341	43.75	523	66.67	306	26.67	964	43.75	302	30.00	444	35.71	455	50.00	130	22.22	647	40.00	1025	33.33	1198	55.00	472	80.00	206	50.00	191	0	0		
082060030	105	48.84	363	46.67	697	43.75	523	66.67	306	40.00	556	37.50	451	33.33	740	35.71	455	25.00	850	22.22	647	68.00	486	60.00	189	45.00	890	90.00	73	40.00	376	0	0		
082060031	90	41.86	840	40.00	1044	50.00	322	72.22	185	40.00	556	31.25	636	22.22	1086	21.43	1007	50.00	130	33.33	286	32.00	1296	53.33	392	35.00	1231	70.00	440	40.00	376	0	0		
082060032	102	47.44	451	60.00	106	56.25	170	55.56	677	46.67	342	56.25	93	22.22	1086	21.43	1007	37.50	402	44.44	74	48.00	666	60.00	189	30.00	1333	70.00	440	30.00	684	1	0		
082060033	107	49.77	312	53.33	341	50.00	322	61.11	480	40.00	556	75.00	7	22.22	1086	50.00	111	37.50	402	11.11	1111	56.00	345	46.67	666	60.00	263	50.00	915	30.00	684	0	0		
082060036	121	56.28	94	50.00	509	50.00	322	83.33	39	26.67	964	56.25	93	44.44	424	35.71	455	25.00	850	44.44	74	68.00	49	73.33	20	60.00	263	100.00	1	50.00	191	0	0		
082060039	69	32.09	1356	50.00	509	62.50	91	27.78	1365	20.00	1167	18.75	1034	22.22	1086	10.00	1470	25.00	850	22.22	647	36.00	1163	26.67	1344	30.00	1333	50.00	915	30.00	684	1	0		
082060042	75	34.88	1253	46.67	697	25.00	1211	33.33	1274	5.67	1431	31.25	636	44.44	424	42.86	255	37.50	402	33.33	286	40.00	1025	40.00	980	30.00	1333	40.00	1132	30.00	684	0	0		
082060043	84	39.07	1019	33.33	1283	18.75	1351	77.78	94	40.00	556	18.75	1034	22.22	1086	35.71	455	25.00	850	33.33	286	52.00	486	60.00	189	30.00	1333	50.00	915	30.00	684	19	0		
082060044	74	34.42	1275	30.00	1366	37.50	757	55.56	677	33.33	782	12.50	1188	44.44	424	14.29	1273	25.00	850	33.33	286	40.00	1025	26.67	1344	50.00	678	50.00	915	20.00	1043	1	0		
082060045	86	40.00	963	40.00	1044	43.75	523	50.00	862	40.00	556	56.25	93	22.22	1086	21.43	1007	12.50	1267	44.44	74	56.00	345	26.67	1344	45.00	890	40.00	1132	20.00	1043	3	0		
082060046	81	38.50	1054	35.00	1283	25.00	1211	35.00	1211	35.00	1341	25.00	847	22.22	1086	21.43	1007	50.00	130	33.33	286	32.00	1296	53.33	392	35.00	1410	25.00	1410	20.00	1394	2	0		
082060047	95	44.19	686	43.33	889	18.75	1351	55.56	677	46.67	342	50.00	180	44.44	424	28.57	708	25.00	850	22.22	647	60.00	222	40.00	980	45.00	890	70.00	440	50.00	191	0	0		
082060048	59	27.44	1447	30.00	1366	31.25	1021	27.78	1365	33.33	782	12.50	1188	11.11	1354	21.43	1007	37.50	402	22.22	647	32.00	1296	20.00	1425	35.00	1231	30.00	1287	30.00	684	0	1		
082060049	68	31.63	1369	43.33	889	18.75	1351	27.78	1365	20.00	1167	25.00	847	11.11	1354	28.57	708	12.50	1267	22.22	647	44.00	850	33.33	1198	65.00	131	10.00	1450	20.00	1043	66	0		
082060010	101	46.98	483	60.00	106	25.00	1211	61.11	480	46.67	342	37.50	451	44.44	424	35.71	455	25.00	850	33.33	286	52.00	486	40.00	980	45.00	890	80.00	206	50.00	191	28	1		
082060011	66	30.70	1394	36.67	1184	18.75	1351	55.56	444	10.00	33.33	782	25.00	847	55.56	188	21.43	1007	50.00	130	22.22	647	36.00	1163	33.33	1464	25.00	1410	60.00	1132	10.00	1073	88	0	
082060012	69	32.09	1356	20.00	1459	37.50	757	33.33	1274	13.33	1341	43.75	302	22.22	1086	28.57	708	50.00	130	22.22	647	24.00	1423	60.00	1425	60.00	263	60.00	666	30.00	684	0	0		
082060013	77	35.01	1213	46.67	697	31.25	1021	61.11	480	20.00	1167	37.50	451	22.22	1086	28.57	708	25.00	850	11.11	1111	36.00	1163	53.33	392	45.00	1096	20.00	1394	20.00	1043	1	0		
082060014	93	43.26	750	46.67	697	56.25	170	50.00	862	26.67	964	43.75	302	33.33	740	28.57	708	37.50	402	44.44	74	40.00	1025	53.33	392	45.00	890	50.00	915	40.00	376	0	0		
082060015	83	38.50	1461	36.67	1184	18.75	1351	33.33	1274	0.00	1458	37.50	451	44.44	424	35.71	455	25.00	850	11.11	1111	28.00	1380	26.67	1344	25.00	1410	20.00	1394	2	0				
082060016	90	41.86	840	46.67	697	18.75	1351	55.56	677	53.33	201	43.75	302	22.22	1086	14.29	1273	62.50	38	22.22	647	96.00	1111	53.33	392	40.00	1096	80.00	206	40.00	376	5	0		
082060017	64	29.77	1413	26.67	1414	43.75	523	16.67	1414	13.33	1341	31.25	636	11.11	1354	42.86	255	37.50																	



DILIMAN ACCESS COLLEGE ENTRANCE TEST REVIEW 2008 - POST-SIMULATION EXAM RESULTS  
(Note: Reviewees were given Student Numbers since their first day for their identification on exams and results)

IDEAL PASSING RATE: 55%. Determining Percentages (ideal for post-simulation results):

- 55% and up - you have a very good chance of passing any school especially UP and Ateneo;
- 40-50% you are an excellent student, could pass DOE (based on CALABATE and IGT) but challenge yourself more;
- below 35% concentrate on your strengths and hone them especially if you are scheduled to take an exam in less than a month.

For the parents: The reviewees were given a gradesheet (given on their last day) that comprises their pretest results, check up tests and tentative scoring for this exam. If the tentative score doesn't correspond with this final post simulation score, it would be due to a number of factors, such as double answers, the student's shading errors and blank answers. Their answer sheets were machine scanned to simulate the testing process itself.

Note: Students from Sacred Heart Academy of Pasig Student ID Numbers has been changed from 0810200XX to 08101400XX

ID Number	Overall		Language Proficiency		General Science		Biology		Chemistry		Physics		Basic Mathematics		Algebra		Geometry		Trigonometry		Reading Comprehension		General Information		Abstract Reasoning		Numerical Ability		Logical Reasoning		Blank Answers	Double Answers		
	RS	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%					
0820810011	91	42.33	806	53.33	341	37.50	757	38.89	1165	20.00	1167	25.00	847	66.67	59	28.57	708	50.00	130	33.33	286	40.00	1025	53.33	392	60.00	293	50.00	915	30.00	684	0	0	
0820810012	85	39.53	891	60.00	106	25.00	1211	44.44	1110	13.33	1341	12.50	1188	33.33	740	35.71	455	37.50	402	11.11	1111	48.00	626	46.67	666	45.00	860	60.00	656	50.00	191	0	0	
0820810013	97	45.12	610	46.67	697	43.75	523	72.22	185	46.67	342	18.75	1034	33.33	740	35.71	455	37.50	402	11.11	1111	36.00	1163	73.33	20	35.00	1231	60.00	656	50.00	191	1	0	
0820810014	96	44.65	647	46.67	697	18.75	1351	44.44	1010	33.33	782	37.50	451	77.78	8	28.57	708	12.50	1267	22.22	647	56.00	345	60.00	189	50.00	678	80.00	206	50.00	191	1	0	
0820810015	96	44.65	647	53.33	341	25.00	1211	55.56	1211	26.67	964	0.00	1354	27.78	8	42.86	255	37.50	402	22.22	647	48.00	666	60.00	189	60.00	263	90.00	73	20.00	1043	48	0	
0820810016	84	39.07	1019	53.33	341	25.00	1211	38.89	1165	20.00	1167	18.75	1034	66.67	59	21.43	1007	37.50	402	44.44	74	52.00	486	46.67	666	45.00	890	60.00	656	50.00	1416	0	0	
0820810017	72	33.49	1302	36.67	1184	31.25	1021	22.22	1416	26.67	964	43.75	302	66.67	70	21.43	455	25.00	850	44.44	74	24.00	1423	33.33	1198	40.00	1098	20.00	1394	30.00	684	1	0	
0820820001	99	46.05	554	46.67	697	56.25	170	72.22	185	26.67	964	37.50	451	33.33	740	35.71	455	37.50	1267	22.22	647	52.00	486	73.33	20	25.00	1410	80.00	206	50.00	191	4	0	
0820820003	94	43.72	721	53.33	341	43.75	523	66.67	306	40.00	556	37.50	451	44.44	424	28.57	708	37.50	402	44.44	74	40.00	1025	26.67	1344	50.00	678	60.00	656	20.00	1043	0	0	
0820820005	93	43.26	750	43.33	889	25.00	1211	66.67	306	20.00	1167	43.75	302	22.22	1086	35.71	455	12.50	1267	33.33	286	52.00	486	60.00	189	40.00	1096	80.00	206	50.00	191	7	0	
0820820006	86	40.00	963	33.33	1263	31.25	1021	44.44	1010	40.00	556	25.00	847	44.44	424	42.86	255	62.50	38	22.22	647	40.00	1025	53.33	392	50.00	678	40.00	1132	40.00	376	0	0	
0820820007	95	40.00	963	60.00	106	12.50	1145	38.89	1165	45.67	342	18.75	2	44.44	424	35.71	455	25.00	850	22.22	647	1163	33.33	1198	30.00	1333	70.00	440	10.00	1273	1	0		
0820820010	78	36.28	1183	40.00	1044	50.00	322	50.00	862	20.00	1167	25.00	847	22.22	1086	14.29	1273	25.00	850	11.11	1111	44.00	890	40.00	980	55.00	472	60.00	656	10.00	1273	0	0	
0820820012	82	38.14	1078	40.00	1044	56.25	170	44.44	1010	13.33	1341	25.00	847	44.44	424	14.29	1273	25.00	850	11.11	1111	48.00	666	46.67	666	50.00	678	60.00	656	30.00	684	0	0	
0820820014	66	30.70	1394	36.67	1184	18.75	1351	22.22	1416	13.33	1341	43.75	302	11.11	1354	7.14	1411	37.50	402	22.22	647	40.00	1025	60.00	189	10.00	1475	70.00	440	40.00	376	2	0	
0820820015	82	38.14	1078	43.33	889	18.75	1351	38.89	1165	20.00	1167	43.75	302	11.11	1354	28.57	708	12.50	1267	22.22	647	52.00	486	73.33	20	25.00	1410	80.00	206	40.00	376	0	0	
0820820017	97	45.12	610	30.00	1209	37.50	523	66.67	306	26.67	964	18.75	1034	33.33	740	42.86	255	62.50	38	22.22	647	52.00	486	60.00	189	45.00	890	80.00	206	50.00	191	0	0	
0820820018	103	47.91	412	53.33	341	62.50	91	61.11	480	33.33	782	56.25	93	33.33	740	28.57	708	37.50	402	22.22	647	56.00	345	46.67	666	60.00	263	40.00	1132	30.00	684	1	0	
0820820020	67	31.16	1381	30.00	1366	43.75	523	50.00	862	40.00	556	43.75	302	22.22	1086	14.29	1273	0.00	1446	33.33	286	28.00	1380	13.33	1464	55.00	472	10.00	1446	10.00	1273	0	0	
0820820022	90	41.86	840	36.67	1184	25.00	1211	55.56	677	33.33	782	50.00	180	33.33	740	35.71	455	25.00	850	33.33	286	44.00	890	60.00	189	55.00	472	60.00	656	20.00	1043	2	0	
0820820023	90	41.86	840	43.33	889	43.75	523	66.67	306	26.67	964	43.75	302	22.22	1086	50.00	111	12.50	1267	33.33	286	56.00	345	26.67	1344	45.00	890	50.00	915	20.00	1043	0	0	
0820820024	71	33.02	1324	53.33	341	37.50	757	55.56	677	13.33	1341	31.25	636	22.22	1086	21.43	1007	37.50	402	42.22	647	52.00	486	60.00	189	45.00	890	80.00	206	50.00	191	0	0	
0820820025	74	34.42	1275	33.33	1283	12.50	1445	33.33	1274	10.34	44.44	424	14.29	1273	50.00	130	22.22	647	40.00	1025	53.33	392	45.00	890	60.00	656	30.00	684	1	0	0			
0820820026	103	47.91	412	50.00	509	50.00	322	66.67	306	53.33	201	43.75	302	33.33	740	35.71	455	37.50	402	11.11	1111	60.00	189	40.00	1096	60.00	656	30.00	684	0	0	0		
0820820027	94	43.72	721	43.33	889	31.25	1021	61.11	480	46.67	342	25.00	847	44.44	424	28.57	708	25.00	850	44.44	74	36.00	1163	60.00	189	55.00	472	70.00	440	40.00	376	1	0	
0820820028	85	39.07	1019	56.67	697	43.75	523	90.91	39.07	13.33	1341	18.75	1034	33.33	740	28.57	708	12.50	1267	33.33	286	60.00	1263	60.00	189	60.00	263	60.00	1043	0	0	0		
0820820029	106	49.30	339	66.67	21	31.25	1021	72.22	185	73.33	26	31.25	636	33.33	740	71.43	40	25.00	850	22.22	647	36.00	1163	53.33	392	60.00	263	40.00	1132	20.00	1043	0	0	
0820820030	113	52.56	196	53.33	341	56.25	170	66.67	306	46.67	342	56.25	93	56.56	188	28.57	708	37.50	402	22.22	647	60.00	222	53.33	392	70.00	63	70.00	440	20.00	1043	1	0	
0820820042	89	41.40	877	40.00	1044	43.75	523	50.00	862	26.67	964	50.00	180	22.22	1086	35.71	455	25.00	850	22.22	647	36.00	1163	40.00	980	65.00	131	60.00	656	40.00	376	0	0	
0820820044	93	43.26	750	50.00	509	56.25	170	33.33	1274	26.67	964	31.25	636	33.33	740	21.43	1007	42.50	38	44.44	74	36.00	1163	53.33	392	70.00	63	40.00	1132	40.00	376	86	0	0
0820820044	89	41.40	877	36.67	1414	31.25	1021	38.89	1165	33.33	782	25.00	847	11.11	1354	50.00	111	12.50	1267	22.22	647	24.00	1423	33.33	1198	45.00	678	60.00	206	20.00	1273	0	0	
0820820045	103	47.91	412	60.00	106	56.25	170	61.11	480	40.00	556	43.75	302	22.22	1086	21.43	1007	37.50	402	11.11	1111	44.00	890	46.67	666	65.00	131	80.00	206	40.00	376	0	0	
0820820046	81	37.67	1110	46.67	697	25.00	1211	33.33	1274	46.67	342	37.50	451	33.33	740	35.71	455	37.50	402	11.11	1111	48.00	1025	13.33	1464	60.00	263	70.00	440	10.00	1273	1	0	
0820820047	96	44.65	647	56.67	185	50.00	322	44.44	1010	40.00	556	50.00	180	22.22	1086	42.86	255	25.00	130	22.22	647	52.00	486	46.67	666	25.00	1410	60.00	656	40.00	376	2	0	
0820820048	129	60.00	36	60.00	106	62.50	91	77.78	94	66.67	62	81.25	2	44.44	424	71.43	10	37.50	402	33.33	286	56.00	345	46.67	666	55.00	472	60.00	656	50.00	191	0	0	
0820820049	77	35.81	801	56.67	185	50.00	322	55.56	677	33.33	782	18.75	1034	33.33	740	35.71	455	25.00	850	22.22	647	1163	33.33	1198	15.00	1463	50.00	915	0.00	1416	14	0	0	
0820820050	111	51.63	223	63.33	45	50.00	322	77.78	94	46.67	342	43.75	302	33.33	740	35.71	455	62.50	38	22.22	647	68.00	49	33.33										



DILIMAN ACCESS COLLEGE ENTRANCE TEST REVIEW 2008 - POST-SIMULATION EXAM RESULTS  
 (Note: Reviewees were given Student Numbers since their first day for their identification on exams and results)

IDEAL PASSING RATE: 55%. Determining Percentages (ideal for post-simulation results) :  
 55-% and up - you have a very good chance of passing any school especially UP and Ateneo;  
 40-50% you are on a safe level (based on past students, could pass DE LA SALLE and UST) but challenge yourself more;  
 below 35% concentrate on your strengths and hone them especially if you are scheduled to take an exam in less than a month .

For the parents: The reviewees were given a gradesheet (given on their last day) that comprises their pretest results, check up tests and tentative scoring for this exam. If the tentative score doesn't correspond with this final post simulation score, it would be due to a number of factors, such as double answers, the student's shading errors and blank answers. Their answer sheets were machine scanned to simulate the testing process itself.

Note: Students from Sacred Heart Academy of Pasig Student ID Numbers has been changed from 08101200XX to 08101400XX

ID Number	Overall			Language Proficiency		General Science		Biology		Chemistry		Physics		Basic Mathematics		Algebra		Geometry		Trigonometry		Reading Comprehension		General Information		Abstract Reasoning		Numerical Ability		Logical Reasoning		Blank Answers	Double Answers
	RS	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank				
0820920025	106	49.30	339	66.67	21	56.25	170	66.67	306	40.00	556	18.75	1034	44.44	424	35.71	455	12.50	1267	22.22	647	64.00	107	53.33	392	45.00	890	50.00	915	60.00	79	0	0
0820920026	86	40.00	963	50.00	509	31.25	1021	50.00	862	40.00	556	12.50	1188	33.33	740	28.57	708	25.00	850	22.22	647	48.00	666	33.33	1198	45.00	890	70.00	440	50.00	191	2	0
0820920027	81	37.67	1110	56.67	185	31.25	1021	44.44	1010	20.00	1167	0.00	1354	11.11	1354	28.57	708	37.50	402	22.22	647	56.00	345	66.67	74	45.00	890	30.00	1287	20.00	1043	26	0
AVERAGE	93.62	43.55		46.91		41.83		55.34		37.99		31.39		39.86		32.60		34.83		26.40		48.24		48.15		50.34		60.85		34.25			
MAX	161	74.88		83.33		100.00		100.00		93.33		93.75		100.00		85.71		87.50		77.78		88.00		86.67		85.00		100.00		90.00			
MIN	34	15.81		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00			
PASSED		646		888		522		1009		555		301		423		254		401		73		849		979		1095		1131		375			
FAILED		836		594		960		473		927		1181		1059		1228		1081		1409		633		503		387		351		1107			